## QSC hinnakiri 26.03.2013

Vaata laoseisu: rgb.ee/qsc/

RGB Baltic OÜ Timm Vichmann, timm@rgb.ee, tel 56206996 www.rgb.ee Marko Erlach, marko@rgb.ee, tel 5021007

MODEL	DESCRIPTION	HIND	HIND KM-ga
ACOUSTICDESIGN™ SE	RIES LOUDSPEAKERS		
AD-C42T-WH	Ceiling speaker, 4" weather-resistant, 2 way, with 70V/100V transformer and 8 Ω bypass	€92	€11′
AD-CI52ST-WH	Ceiling speaker, 5.25" weather-resistant, 2-way, shallow can, with 70V/100V transformer and 8 Ω	€137	€164
AD-CI52T-WH	Ceiling speaker, 5.25" weather-resistant, compact 2-way, with 70V/100V transformer and 8 Ω	€124	€149
AD-C81Tw-WH	Ceiling subwoofer, 8" weather-resistant, 120Hz bypassable low pass filter, with 70V/100V	€203	€244
	Includes AD-C820 2-way, 8 inch high-power coentrant loudspeaker baffle assembly, AD-C800BB		
AD-C820R SYSTEM	back-box assembly and AD-C800RG round grille. Back box and grille packaged seperately (total of	€397	€476
	three cartons).		
AD-C820S SYSTEM	Includes AD-C820 2-way, 8 inch high-power coentrant loudspeaker baffle assembly, AD-C800BB back-box assembly and AD-C800SG round grille. Back box and grille packaged seperately (total of	€397	€476
AD-C0203 3131EW	three cartons).	€397	6470
	Blind mount, high power 8 inch coentrant loudspeaker system with integrated, factory sealed		
AD-C821R SYSTEM	backcan. System includes AD-C800RG round grille, C-Ring and Tire Rails. Grille and C-Ring and	€422	€507
	Tire Rails packaged seperately (total of three cartons).	0.22	
	Blind mount, high power 8 inch coentrant loudspeaker system with Integrated, factory sealed		
AD-C821S SYSTEM	backcan. System includes AD-C800RG square grille, C-Ring and Tire Rails. Grille and C-Ring and	€422	€507
	Tire Rails packaged seperately (total of three cartons).		
AD-C1200	High-power coentrant 2-way with 12 inch woofer, mounted on acoustic baffle. Fits AD-C1200BB	€434	€520
AD-C1200BB	High performance enclosure of AD-C1200 loudspeaker system.	€251	€301
AD-C1200SG	Steel grille for use with AD-C1200 in white (paintable).	€45	€53
AD-S282H-BK	Surface mount speaker, dual 8" weather-resistant, 2-way, 90° x 60° rotatable, high power version,	€552	€662
AD-S282HT-BK	Surface mount speaker, dual 8" weather-resistant, 2-way, 90° x 60° rotatable, high power version,	€582	€699
AD-S32T-BK	Surface mount speaker, 3" weather-resistant, 2-way, shielded, 90°H x 90°V, with 70V/100V transformer and 8 Ω bypass, ships with ball-mount assembly and yoke mount, available in black or	€92	€111
AD-S32T-WH	white (Loudspeakers are priced invididually, sold only in pairs)	€92	6111
	Surface mount speaker, 5.25" weather-resistant, 2-way, shielded, 90°H x 60°V, ships with ball-		
AD-S52-BK	mount assembly, or choose the AD-YM5 mounting bracket below, available in black or white	€129	€155
AD-S52-WH	(Loudspeakers are priced individually, sold only in pairs)		
AD-S82-BK	Surface mount speaker, 8" weather-resistant, 2-way, 90° x 60° rotatable. Choose from the mounting	C100	C400
AD-S82-WH	options listed below, available in black or white	€160	€192
AD-S82H-BK	Surface mount speaker, 8" weather-resistant, 2-way, 90° x 60° rotatable, high power version.	€257	€309
AD-S82H-WH	Choose from the mounting options listed below, available in black or white	€257	€308
AD-S28TwBK	Surface mount subwoofer, dual 8" bandpass, 120Hz bypassable low-pass filter, with 70V/100V	€456	€548
	transformer and 8 ohm, marine grade plywood, yoke and suspension hardware included.		
ACOUSTICDESIGN™ SE	RIES ACCESSORIES		
AD-ID8-BK AD-ID8-WH	IntelliDock mounting system for AD-S82, available in black or white	€72	€87
AD-ID8T-BK			
AD-ID8T-WH	IntelliDock mounting system for AD-S82 with 70V/100V transformer, available in black or white	€92	€110
AD-YM5-BK	Yoke mount for AD-S52 models, available in black or white (Bracket priced individually, sold only in		
AD-YM5-WH	pairs)	€14	€17
AD-YM8-BK	Value mount for AD S92 models, qualible in block or white	622	€39
AD-YM8-WH	Yoke mount for AD-S82 models, available in black or white	€33	€38
AD-YM8T-BK	Yoke mount with transformer for AD-S82 models, available in black or white	€53	€63
AD-YM8T-WH			
ADC-MR	Mud ring bracket for installation of AD-Cl52T in sheetrock or plaster surfaces (Priced and packaged	€104	€124
	in quantities of six (6) pieces per box)		
ADC-MRS	Mud ring bracket (shallow version) for installation of AD-Cl52ST in sheetrock or plaster surfaces (Priced and packaged in quantities of six (6) pieces per box)	€140	€168
	Mud ring for installation of AD-C42T in sheetrock or plaster surfaces. (P)riced and packaged in		
ADC-MR4	quantities of six (6) pieces per box)	€84	€100
	New construction bracket for installation of AD-CI52T in sheetrock or other solid surfaces (Priced		
ADC-NC	and packaged in quantities of six (6) pieces per box)	€74	€89
ADC NCC	New construction bracket (shallow version) for installation of AD-CI52ST in sheetrock or other solid	6104	6124
ADC-NCS	surfaces (Priced and packaged in quantities of six (6) pieces per box)	€104	€124
ADC-NC4	New construction bracket for installation of AD-C42T in sheetrock or other solid surfaces. (Priced	€85	€102
	and packaged in quantities of six (6) pieces per box)		
ACOUSTICPERFORMAN			
AP-5102-BK	10", two-way trapezoidal enclosure with 105-degree axisymmetric coverage. Available in black or	€910	€1,091
AP-5102-WH AP-5122-BK	white.  12", two-way trapezoidal enclosure with 90-degree axisymmetric coverage. Available in black or		
AP-5122-WH	white.	€993	€1,192
AP-5152-BK	15", two-way trapezoidal enclosure with 75-degree axisymmetric coverage. Available in black or		
AP-5152-WH	white.	€1,150	€1,380
		5000	
AP-5122m	12", two-way multipurpose enclosure with 90-degree axisymmetric coverage. Available in black only.	€993	€1,192
	CE™ SERIES ACCESSORIES		
AP-YM10-BK	Yoke mount for the AP-5102. Available in black or white.	€105	€125
AP-YM10-WH	Toke medit for the At -0 102. Available in black of Wille.	€100	C120
AP-YM12-BK	Yoke mount for the AP-5122. Available in black or white.	€120	€144
AP-YM12-WH			
AP-YM12m-BK	Yoke mount for the AP-5122m. Available in black only.  M40 forest shoulder steel exchalt kit for supporting KW Series and Acquetic Performance.	€120	€144
M10 KIT-W	M10 forged-shoulder, steel eyebolt kit for suspending KW Series and AcousticPerformance	€33	€39
i .	loudspeakers.	I	

KLA12-BK	500W x 500W, two-way, active, line-array loudspeaker; 12-inch woofer, 1.75-inch compression	€1,832	€2,199
KLA12-WH	driver; 90' x 18' nominal coverage angle; self contained rigging system, available in black or white.	€1,032	€2,198
KLA181-BK	18" ported, 1000W subwoofer with integrated flying hardware; available in black and white	€1,550	€1,860
KLA SERIES ACCESSORIES			
KLA181 M10 KIT	M10 forged-shoulder steel eyebolt kit for suspending KLA181 loudpeakers	€44	€53
KLA181 POLE	36" loudspeakerpole for use with the KLA181.	€24	€28
KLA AF12-BK	·		
KLA AF12-WH	Aluminum array frame for KLA Series enclosures: available in black and white	€651	€781
KLA181 CASTER KIT	Caster Kit for the KLA181, includes four (4) individual caster wheels.	€58	€69
KLA TOTE	Soft padded tote for the KLA12 loudspeaker made with heavy-duty Nylon/Cordura® material.	€78	€94
KLA AF12 TOTE	Tote bag for the KLA AF12.	€73	€88
KW SERIES			
KW122	12" two-way, 1000W, 75° axisymmetric, active loudspeaker for main or monitor	€882	€1,059
KW152	15" two-way 1000W, 60° axisymmetric, active loudspeaker	€966	€1,159
KW153	15" three-way, 1000W, 60° axisymmetric, active loudspeaker with 6.5" horn-loaded midrange	€1,147	€1,377
KW181	18" ported, 1000W subwoofer with integrated casters	€1,099	€1,319
KW SERIES ACCESSORIES	ported, recent database man meglated decision	0.,000	0.,0.0
KW CERIEC ACCECCORIEC	M10 forged-shoulder, steel eyebolt kit with solid aluminum pull-back bar for horizontal suspension of		
KW SUS KIT 122	the KW122	€55	€66
M10 KIT-W	M10 forged-shoulder, steel eyebolt kit for suspending KW Series and AcousticPerformance	€33	€39
	loudspeakers.		
KW122 COVER	Soft, padded cover made with heavy-dutyNylon/Cordura® material for KW122	€60	€72
KW152 COVER	Soft, padded cover made with heavy-duty Nylon/Cordura® material for KW152	€67	€80
KW153 COVER	Soft, padded cover made with heavy-duty Nylon/Cordura® material for KW153	€77	€93
KW181 COVER	Soft cover made with heavy-duty Nylon/Cordura® material for KW181with grille guard	€89	€107
K SERIES	, , ,		
	1000W active, portable loudspeaker system; 8-inch woofer; 1.75-inch compression driver; 105		
K8	degree conical waveguide; Tilt-Direct™ dual angle pole socket, DSP.	€566	€680
	1000W active, portable loudspeaker system; 10-inch woofer; 1.75-inch compression driver; 90	-	
1/40		CCOF	C700
K10	degree conical waveguide; Tilt-Direct™ dual angle pole socket, DSP, for use as main or stage	€605	€726
	monitor speaker.		
	1000W active portable loudspeaker system; 12-inch woofer; 1.75-inch compression driver; 75		
K12	degree conical waveguide; Tilt-Direct™ dual angle pole socket; DSP; for use as main or stage	€685	€822
	monitor speaker.		
L/OLID	1000W active, portable subwoofer; dual 12-inch woofers; 4 large, swivel casters; M20 threaded pole	5044	64.00=
KSUB	socket; speaker pole included.	€914	€1,097
K SERIES ACCESSORIES			
K SERIES M10 KIT	M10 forged-shoulder steel eyebolt kit for suspending K8, K10, or K12.	€33	€39
K8 YOKE	Powder coated steel yoke for mounting the K8 vertically or Horizontally to structures.	€93	€111
			€1119
K10 YOKE	Powder coated steel yoke for mounting the K10 vertically or Horizontally to structures.	€100	
K12 YOKE	Powder coated steel yoke for mounting the K12 vertically or Horizontally to structures.	€106	€128
K SERIES POLE EXTENSION	16 inch extension pole for use with K Series speaker pole and K8 or K10 loudspeaker. Not intended	€12	€15
ROLINEO FOLL EXTENSION	for any other K Series or KW Series loudspeaker.		010
K8 TOTE	Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura® material for K8	€57	€69
K10 TOTE	Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura® material for K10	€63	€75
K12 TOTE	Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura® material for K12	€69	€82
	Soft, padded cover made with weather resistant, heavy-duty Nylon/Cordura® material for Ksub with		
KSUB COVER	grille guard	€80	€96
	Nylon fabric and mesh cover for temporary outdoor use of K8 in adverse weather. Removable		
K8 OUTDOOR COVER	amplifier panel allows access to connectors and controls. Vented panel maintains airflow for proper	€27	€32
	heat management. Not intended for permanent outdoor installation or sustained severe weather		
	conditions.		
	Nylon fabric and mesh cover for temporary outdoor use of K10 in adverse weather. Removable		
K40 OLITDOOD COVED	amplifier panel allows access to connectors and controls. Vented panel maintains airflow for proper	COC	C44
K10 OUTDOOR COVER	heat management. Not intended for permanent outdoor installation or sustained severe weather	€36	€44
	conditions.		
	Nylon fabric and mesh cover for temporary outdoor use of K12 in adverse weather. Removable		
	amplifier panel allows access to connectors and controls. Vented panel maintains airflow for proper		
K12 OUTDOOR COVER	heat management. Not intended for permanent outdoor installation or sustained severe weather		
		€46	€55
		€46	€55
II A CEDIEC I CUDODEANES	conditions.	€46	€55
ILA SERIES LOUDSPEAKERS	conditions.	€46	€55
ILA SERIES LOUDSPEAKERS WL2082-i-BK	conditions.  Installation line array - dual neodymium 8" cone LF, dual titanium diaphragm, neodymium magnet		
WL2082-i-BK	conditions.  Installation line array - dual neodymium 8" cone LF, dual titanium diaphragm, neodymium magnet compression driver HF, selectable bi-amp/tri-amp operation, 140° horizontal coverage, integral array	€46 €1,344	
	conditions.  Installation line array - dual neodymium 8" cone LF, dual titanium diaphragm, neodymium magnet compression driver HF, selectable bi-amp/tri-amp operation, 140° horizontal coverage, integral array hardware, available in black or white		€55 €1,612
WL2082-i-BK WL2082-i-WH	conditions.  Installation line array - dual neodymium 8" cone LF, dual titanium diaphragm, neodymium magnet compression driver HF, selectable bi-amp/tri-amp operation, 140° horizontal coverage, integral array hardware, available in black or white  18" subwoofer - for use with WL2082-i installation line array, may be ground-stacked or suspended		
WL2082-i-BK WL2082-i-WH WL118-sw-BK	conditions.  Installation line array - dual neodymium 8" cone LF, dual titanium diaphragm, neodymium magnet compression driver HF, selectable bi-amp/tri-amp operation, 140° horizontal coverage, integral array hardware, available in black or white		
WL2082-i-BK WL2082-i-WH	conditions.  Installation line array - dual neodymium 8" cone LF, dual titanium diaphragm, neodymium magnet compression driver HF, selectable bi-amp/tri-amp operation, 140° horizontal coverage, integral array hardware, available in black or white  18" subwoofer - for use with WL2082-i installation line array, may be ground-stacked or suspended		
WL2082-i-BK WL2082-i-WH WL118-sw-BK WL118-sw-WH	conditions.  Installation line array - dual neodymium 8" cone LF, dual titanium diaphragm, neodymium magnet compression driver HF, selectable bi-amp/tri-amp operation, 140° horizontal coverage, integral array hardware, available in black or white  18" subwoofer - for use with WL2082-i installation line array, may be ground-stacked or suspended with WL2082-i, integral array hardware, available in black or white; 15-20 day lead time required for	€1,344	€1,612
WL2082-i-BK WL2082-i-WH WL118-sw-BK WL118-sw-WH ILA SERIES ACCESSORIES	Installation line array - dual neodymium 8" cone LF, dual titanium diaphragm, neodymium magnet compression driver HF, selectable bi-amp/tri-amp operation, 140° horizontal coverage, integral array hardware, available in black or white  18" subwoofer - for use with WL2082-i installation line array, may be ground-stacked or suspended with WL2082-i, integral array hardware, available in black or white; 15-20 day lead time required for white version	€1,344 €1,922	€1,612 €2,307
WL2082-i-BK WL2082-i-WH WL118-sw-BK WL118-sw-WH ILA SERIES ACCESSORIES FB2082-i-BK	conditions.  Installation line array - dual neodymium 8" cone LF, dual titanium diaphragm, neodymium magnet compression driver HF, selectable bi-amp/tri-amp operation, 140° horizontal coverage, integral array hardware, available in black or white  18" subwoofer - for use with WL2082-i installation line array, may be ground-stacked or suspended with WL2082-i, integral array hardware, available in black or white; 15-20 day lead time required for	€1,344	€1,612
WL2082-i-BK WL2082-i-WH WL118-sw-BK WL118-sw-WH ILA SERIES ACCESSORIES FB2082-i-BK FB2082-i-WH	conditions.  Installation line array - dual neodymium 8" cone LF, dual titanium diaphragm, neodymium magnet compression driver HF, selectable bi-amp/tri-amp operation, 140° horizontal coverage, integral array hardware, available in black or white  18" subwoofer - for use with WL2082-i installation line array, may be ground-stacked or suspended with WL2082-i, integral array hardware, available in black or white; 15-20 day lead time required for white version  Fly-bar for WL2082-i and WL115-sw, available in black or white	€1,344 €1,922 €648	€1,612 €2,307 €777
WL2082-i-BK WL2082-i-WH WL118-sw-BK WL118-sw-WH ILA SERIES ACCESSORIES FB2082-i-BK FB2082-i-WH EB2082-i-BK	Installation line array - dual neodymium 8" cone LF, dual titanium diaphragm, neodymium magnet compression driver HF, selectable bi-amp/tri-amp operation, 140° horizontal coverage, integral array hardware, available in black or white  18" subwoofer - for use with WL2082-i installation line array, may be ground-stacked or suspended with WL2082-i, integral array hardware, available in black or white; 15-20 day lead time required for white version	€1,344 €1,922	€1,612 €2,307
WL2082-i-BK WL2082-i-WH WL118-sw-BK WL118-sw-WH ILA SERIES ACCESSORIES FB2082-i-BK FB2082-i-WH EB2082-i-BK EB2082-i-WH	conditions.  Installation line array - dual neodymium 8" cone LF, dual titanium diaphragm, neodymium magnet compression driver HF, selectable bi-amp/tri-amp operation, 140° horizontal coverage, integral array hardware, available in black or white  18" subwoofer - for use with WL2082-i installation line array, may be ground-stacked or suspended with WL2082-i, integral array hardware, available in black or white; 15-20 day lead time required for white version  Fly-bar for WL2082-i and WL115-sw, available in black or white  Extension bar, allows WL115-sw to be suspended behind WL2082-i, available in black or white	€1,344 €1,922 €648	€1,612 €2,307 €777
WL2082-i-BK WL2082-i-WH WL118-sw-BK WL118-sw-WH ILA SERIES ACCESSORIES FB2082-i-BK FB2082-i-WH EB2082-i-WH EB2082-i-WH PB2082-i-WH PB2082-i-BK	Installation line array - dual neodymium 8" cone LF, dual titanium diaphragm, neodymium magnet compression driver HF, selectable bi-amp/tri-amp operation, 140° horizontal coverage, integral array hardware, available in black or white 18" subwoofer - for use with WL2082-i installation line array, may be ground-stacked or suspended with WL2082-i, integral array hardware, available in black or white; 15-20 day lead time required for white version  Fly-bar for WL2082-i and WL115-sw, available in black or white  Extension bar, allows WL115-sw to be suspended behind WL2082-i, available in black or white  Pullback bar for WL2082-i. For use when pulling back the bottom of the array is necessary to	€1,344 €1,922 €648	€1,612 €2,307 €777
WL2082-i-BK WL2082-i-WH WL118-sw-BK WL118-sw-WH ILA SERIES ACCESSORIES FB2082-i-BK FB2082-i-WH EB2082-i-WH EB2082-i-WH PB2082-i-BK EB2082-i-WH PB2082-i-BK PB2082-i-WH	Installation line array - dual neodymium 8" cone LF, dual titanium diaphragm, neodymium magnet compression driver HF, selectable bi-amp/tri-amp operation, 140° horizontal coverage, integral array hardware, available in black or white  18" subwoofer - for use with WL2082-i installation line array, may be ground-stacked or suspended with WL2082-i, integral array hardware, available in black or white; 15-20 day lead time required for white version  Fly-bar for WL2082-i and WL115-sw, available in black or white  Extension bar, allows WL115-sw to be suspended behind WL2082-i, available in black or white  Pullback bar for WL2082-i. For use when pulling back the bottom of the array is necessary to achieve the desired angle, available in black or white	€1,344 €1,922 €648 €648	€1,612 €2,307 €777 €777
WL2082-i-BK WL2082-i-WH WL118-sw-BK WL118-sw-WH ILA SERIES ACCESSORIES FB2082-i-BK FB2082-i-WH EB2082-i-WH EB2082-i-WH PB2082-i-WH PB2082-i-BK	Installation line array - dual neodymium 8" cone LF, dual titanium diaphragm, neodymium magnet compression driver HF, selectable bi-amp/tri-amp operation, 140° horizontal coverage, integral array hardware, available in black or white  18" subwoofer - for use with WL2082-i installation line array, may be ground-stacked or suspended with WL2082-i, integral array hardware, available in black or white; 15-20 day lead time required for white version  Fly-bar for WL2082-i and WL115-sw, available in black or white  Extension bar, allows WL115-sw to be suspended behind WL2082-i, available in black or white  Pullback bar for WL2082-i. For use when pulling back the bottom of the array is necessary to achieve the desired angle, available in black or white  Kit of four (4) quick release pins for use in lieu of included bolts	€1,344 €1,922 €648 €648	€1,612 €2,307 €777
WL2082-i-BK WL2082-i-WH WL118-sw-BK WL118-sw-WH ILA SERIES ACCESSORIES FB2082-i-BK FB2082-i-BK EB2082-i-WH EB2082-i-WH PB2082-i-BK PB2082-i-WH QRP-KIT-1	Installation line array - dual neodymium 8" cone LF, dual titanium diaphragm, neodymium magnet compression driver HF, selectable bi-amp/tri-amp operation, 140° horizontal coverage, integral array hardware, available in black or white  18" subwoofer - for use with WL2082-i installation line array, may be ground-stacked or suspended with WL2082-i, integral array hardware, available in black or white; 15-20 day lead time required for white version  Fly-bar for WL2082-i and WL115-sw, available in black or white  Extension bar, allows WL115-sw to be suspended behind WL2082-i, available in black or white  Pullback bar for WL2082-i. For use when pulling back the bottom of the array is necessary to achieve the desired angle, available in black or white  Kit of four (4) quick release pins for use in lieu of included bolts  Angle bracket that allows for greater vertical splay between WL2082i and WL115-sw enclosures in	€1,344 €1,922 €648 €648 €230 €66	€1,612 €2,307 €777 €777 €276 €79
WL2082-i-BK WL2082-i-WH WL118-sw-BK WL118-sw-WH ILA SERIES ACCESSORIES FB2082-i-BK FB2082-i-WH EB2082-i-WH EB2082-i-WH PB2082-i-BK EB2082-i-WH PB2082-i-BK PB2082-i-WH	Installation line array - dual neodymium 8" cone LF, dual titanium diaphragm, neodymium magnet compression driver HF, selectable bi-amp/tri-amp operation, 140° horizontal coverage, integral array hardware, available in black or white  18" subwoofer - for use with WL2082-i installation line array, may be ground-stacked or suspended with WL2082-i, integral array hardware, available in black or white; 15-20 day lead time required for white version  Fly-bar for WL2082-i and WL115-sw, available in black or white  Extension bar, allows WL115-sw to be suspended behind WL2082-i, available in black or white  Pullback bar for WL2082-i. For use when pulling back the bottom of the array is necessary to achieve the desired angle, available in black or white  Kit of four (4) quick release pins for use in lieu of included bolts	€1,344 €1,922 €648 €648	€1,612 €2,307 €777 €777 €276 €79 €142
WL2082-i-BK WL2082-i-WH WL118-sw-BK WL118-sw-WH ILA SERIES ACCESSORIES FB2082-i-BK FB2082-i-BK EB2082-i-WH EB2082-i-WH PB2082-i-BK PB2082-i-WH QRP-KIT-1	Installation line array - dual neodymium 8" cone LF, dual titanium diaphragm, neodymium magnet compression driver HF, selectable bi-amp/tri-amp operation, 140° horizontal coverage, integral array hardware, available in black or white  18" subwoofer - for use with WL2082-i installation line array, may be ground-stacked or suspended with WL2082-i, integral array hardware, available in black or white; 15-20 day lead time required for white version  Fly-bar for WL2082-i and WL115-sw, available in black or white  Extension bar, allows WL115-sw to be suspended behind WL2082-i, available in black or white  Pullback bar for WL2082-i. For use when pulling back the bottom of the array is necessary to achieve the desired angle, available in black or white  Kit of four (4) quick release pins for use in lieu of included bolts  Angle bracket that allows for greater vertical splay between WL2082i and WL115-sw enclosures in	€1,344 €1,922 €648 €648 €230 €66	€1,612 €2,307 €777 €777 €276 €79 €142
WL2082-i-BK WL2082-i-WH WL118-sw-BK WL118-sw-WH ILA SERIES ACCESSORIES FB2082-i-BK FB2082-i-WH EB2082-i-BK EB2082-i-WH PB2082-i-BK PB2082-i-WH QRP-KIT-1	Installation line array - dual neodymium 8" cone LF, dual titanium diaphragm, neodymium magnet compression driver HF, selectable bi-amp/tri-amp operation, 140° horizontal coverage, integral array hardware, available in black or white  18" subwoofer - for use with WL2082-i installation line array, may be ground-stacked or suspended with WL2082-i, integral array hardware, available in black or white; 15-20 day lead time required for white version  Fly-bar for WL2082-i and WL115-sw, available in black or white  Extension bar, allows WL115-sw to be suspended behind WL2082-i, available in black or white  Pullback bar for WL2082-i. For use when pulling back the bottom of the array is necessary to achieve the desired angle, available in black or white  Kit of four (4) quick release pins for use in lieu of included bolts  Angle bracket that allows for greater vertical splay between WL2082i and WL115-sw enclosures in ground stacked configurations  Ground stacke adapter that allows for construction of ground stacked ILA arrays	€1,344 €1,922 €648 €648 €230 €66	€1,612 €2,307 €777 €777 €276 €79 €142
WL2082-i-BK WL2082-i-WH WL118-sw-BK WL118-sw-WH ILA SERIES ACCESSORIES FB2082-i-BK FB2082-i-WH EB2082-i-BK EB2082-i-WH PB2082-i-BK PB2082-i-WH QRP-KIT-1 AB2082 GS115-sw ISIS SERIES LOUDSPEAKER	Installation line array - dual neodymium 8" cone LF, dual titanium diaphragm, neodymium magnet compression driver HF, selectable bi-amp/tri-amp operation, 140° horizontal coverage, integral array hardware, available in black or white  18" subwoofer - for use with WL2082-i installation line array, may be ground-stacked or suspended with WL2082-i, integral array hardware, available in black or white; 15-20 day lead time required for white version  Fly-bar for WL2082-i and WL115-sw, available in black or white  Extension bar, allows WL115-sw to be suspended behind WL2082-i, available in black or white  Pullback bar for WL2082-i. For use when pulling back the bottom of the array is necessary to achieve the desired angle, available in black or white  Kit of four (4) quick release pins for use in lieu of included bolts  Angle bracket that allows for greater vertical splay between WL2082i and WL115-sw enclosures in ground stacked configurations  Ground stack adapter that allows for construction of ground stacked ILA arrays	€1,344 €1,922 €648 €648 €230 €66 €118 €180	€1,612 €2,307 €777 €777 €276 €79 €142 €215
WL2082-i-BK WL2082-i-WH WL118-sw-BK WL118-sw-WH ILA SERIES ACCESSORIES FB2082-i-BK FB2082-i-BK EB2082-i-WH EB2082-i-WH PB2082-i-BK PB2082-i-WH QRP-KIT-1 AB2082	Installation line array - dual neodymium 8" cone LF, dual titanium diaphragm, neodymium magnet compression driver HF, selectable bi-amp/tri-amp operation, 140° horizontal coverage, integral array hardware, available in black or white  18" subwoofer - for use with WL2082-i installation line array, may be ground-stacked or suspended with WL2082-i, integral array hardware, available in black or white; 15-20 day lead time required for white version  Fly-bar for WL2082-i and WL115-sw, available in black or white  Extension bar, allows WL115-sw to be suspended behind WL2082-i, available in black or white  Pullback bar for WL2082-i. For use when pulling back the bottom of the array is necessary to achieve the desired angle, available in black or white  Kit of four (4) quick release pins for use in lieu of included bolts  Angle bracket that allows for greater vertical splay between WL2082i and WL115-sw enclosures in ground stacked configurations  Ground stack adapter that allows for construction of ground stacked ILA arrays  S  Surface mount, portable speaker, 8" weather-resistant, 2-way, 90° x 60° rotatable, Speakon®	€1,344 €1,922 €648 €648 €230 €66	€1,612 €2,307 €777 €777 €276 €79 €142 €215
WL2082-i-BK WL2082-i-WH WL118-sw-BK WL118-sw-WH ILA SERIES ACCESSORIES FB2082-i-BK FB2082-i-WH EB2082-i-WH PB2082-i-WH PB2082-i-WH QRP-KIT-1 AB2082 GS115-sw ISIS SERIES LOUDSPEAKER	Installation line array - dual neodymium 8" cone LF, dual titanium diaphragm, neodymium magnet compression driver HF, selectable bi-amp/tri-amp operation, 140° horizontal coverage, integral array hardware, available in black or white  18" subwoofer - for use with WL2082-i installation line array, may be ground-stacked or suspended with WL2082-i, integral array hardware, available in black or white; 15-20 day lead time required for white version  Fly-bar for WL2082-i and WL115-sw, available in black or white  Extension bar, allows WL115-sw to be suspended behind WL2082-i, available in black or white  Pullback bar for WL2082-i. For use when pulling back the bottom of the array is necessary to achieve the desired angle, available in black or white  Kit of four (4) quick release pins for use in lieu of included bolts  Angle bracket that allows for greater vertical splay between WL2082i and WL115-sw enclosures in ground stacked configurations  Ground stack adapter that allows for construction of ground stacked ILA arrays  S  Surface mount, portable speaker, 8" weather-resistant, 2-way, 90° x 60° rotatable, Speakon® connectors, ships with pole mount cup and mic stand adapter	€1,344 €1,922 €648 €648 €230 €66 €118 €180	€1,612 €2,307 €777 €777 €276 €79 €142 €215 €309
WL2082-i-BK WL2082-i-WH WL118-sw-BK WL118-sw-WH ILA SERIES ACCESSORIES FB2082-i-BK FB2082-i-WH EB2082-i-BK EB2082-i-WH PB2082-i-BK PB2082-i-WH QRP-KIT-1 AB2082 GS115-sw ISIS SERIES LOUDSPEAKER	Installation line array - dual neodymium 8" cone LF, dual titanium diaphragm, neodymium magnet compression driver HF, selectable bi-amp/tri-amp operation, 140° horizontal coverage, integral array hardware, available in black or white  18" subwoofer - for use with WL2082-i installation line array, may be ground-stacked or suspended with WL2082-i, integral array hardware, available in black or white; 15-20 day lead time required for white version  Fly-bar for WL2082-i and WL115-sw, available in black or white  Extension bar, allows WL115-sw to be suspended behind WL2082-i, available in black or white  Pullback bar for WL2082-i. For use when pulling back the bottom of the array is necessary to achieve the desired angle, available in black or white  Kit of four (4) quick release pins for use in lieu of included bolts  Angle bracket that allows for greater vertical splay between WL2082i and WL115-sw enclosures in ground stacked configurations  Ground stack adapter that allows for construction of ground stacked ILA arrays  Surface mount, portable speaker, 8" weather-resistant, 2-way, 90° x 60° rotatable, Speakon® connectors, ships with pole mount cup and mic stand adapter  Surface mount speaker, dual 8" weather-resistant, 2-way, 90° x 60° rotatable, Speakon®	€1,344 €1,922 €648 €648 €230 €66 €118 €180	€1,612 €2,307 €777 €777
WL2082-i-BK WL2082-i-WH WL118-sw-BK WL118-sw-WH ILA SERIES ACCESSORIES FB2082-i-BK FB2082-i-BK EB2082-i-WH EB2082-i-WH PB2082-i-BK PB2082-i-WH QRP-KIT-1 AB2082 GS115-sw ISIS SERIES LOUDSPEAKER I-82H	Installation line array - dual neodymium 8" cone LF, dual titanium diaphragm, neodymium magnet compression driver HF, selectable bi-amp/tri-amp operation, 140° horizontal coverage, integral array hardware, available in black or white  18" subwoofer - for use with WL2082-i installation line array, may be ground-stacked or suspended with WL2082-i, integral array hardware, available in black or white; 15-20 day lead time required for white version  Fly-bar for WL2082-i and WL115-sw, available in black or white  Extension bar, allows WL115-sw to be suspended behind WL2082-i, available in black or white  Pullback bar for WL2082-i. For use when pulling back the bottom of the array is necessary to achieve the desired angle, available in black or white  Kit of four (4) quick release pins for use in lieu of included bolts  Angle bracket that allows for greater vertical splay between WL2082i and WL115-sw enclosures in ground stacked configurations  Ground stack adapter that allows for construction of ground stacked ILA arrays  S  Surface mount, portable speaker, 8" weather-resistant, 2-way, 90° x 60° rotatable, Speakon® connectors, ships with pole mount cup and mic stand adapter	€1,344 €1,922 €648 €648 €230 €66 €118 €180	€1,612 €2,307 €777 €777 €276 €79 €142 €215 €309
WL2082-i-BK WL2082-i-WH WL118-sw-BK WL118-sw-WH  ILA SERIES ACCESSORIES FB2082-i-BK FB2082-i-WH EB2082-i-WH PB2082-i-WH PB2082-i-WH QRP-KIT-1 AB2082 GS115-sw ISIS SERIES LOUDSPEAKER I-82H I-282H ISIS SERIES ACCESSORIES	Installation line array - dual neodymium 8" cone LF, dual titanium diaphragm, neodymium magnet compression driver HF, selectable bi-amp/tri-amp operation, 140° horizontal coverage, integral array hardware, available in black or white  18" subwoofer - for use with WL2082-i installation line array, may be ground-stacked or suspended with WL2082-i, integral array hardware, available in black or white; 15-20 day lead time required for white version  Fly-bar for WL2082-i and WL115-sw, available in black or white  Extension bar, allows WL115-sw to be suspended behind WL2082-i, available in black or white  Pullback bar for WL2082-i. For use when pulling back the bottom of the array is necessary to achieve the desired angle, available in black or white  Kit of four (4) quick release pins for use in lieu of included bolts  Angle bracket that allows for greater vertical splay between WL2082i and WL115-sw enclosures in ground stacked configurations  Ground stack adapter that allows for construction of ground stacked ILA arrays  S  Surface mount, portable speaker, 8" weather-resistant, 2-way, 90° x 60° rotatable, Speakon® connectors, ships with pole mount cup and mic stand adapter  Surface mount speaker, dual 8" weather-resistant, 2-way, 90° x 60° rotatable, Speakon® connectors, ships with pole mount cup and yoke mount with monitor feet	€1,344 €1,922 €648 €648 €230 €66 €118 €180 €257 €552	€1,612 €2,307 €777 €777 €276 €79 €142 €215 €309 €662
WL2082-i-BK WL2082-i-WH WL118-sw-BK WL118-sw-WH ILA SERIES ACCESSORIES FB2082-i-BK FB2082-i-BK EB2082-i-WH EB2082-i-WH PB2082-i-BK PB2082-i-WH QRP-KIT-1 AB2082 GS115-sw ISIS SERIES LOUDSPEAKER I-82H	Installation line array - dual neodymium 8" cone LF, dual titanium diaphragm, neodymium magnet compression driver HF, selectable bi-amp/tri-amp operation, 140° horizontal coverage, integral array hardware, available in black or white  18" subwoofer - for use with WL2082-i installation line array, may be ground-stacked or suspended with WL2082-i, integral array hardware, available in black or white; 15-20 day lead time required for white version  Fly-bar for WL2082-i and WL115-sw, available in black or white  Extension bar, allows WL115-sw to be suspended behind WL2082-i, available in black or white  Pullback bar for WL2082-i. For use when pulling back the bottom of the array is necessary to achieve the desired angle, available in black or white  Kit of four (4) quick release pins for use in lieu of included bolts  Angle bracket that allows for greater vertical splay between WL2082i and WL115-sw enclosures in ground stacked configurations  Ground stack adapter that allows for construction of ground stacked ILA arrays  S  Surface mount, portable speaker, 8" weather-resistant, 2-way, 90° x 60° rotatable, Speakon® connectors, ships with pole mount cup and mic stand adapter  Surface mount speaker, dual 8" weather-resistant, 2-way, 90° x 60° rotatable, Speakon® connectors, ships with pole mount cup and yoke mount with monitor feet  Yoke mount/floor monitor kit for I-82H, with swivel extension feet for floor mounting	€1,344 €1,922 €648 €648 €230 €66 €118 €180	€1,612 €2,307 €777 €777 €276 €79 €142 €215 €309

WL2102-w-BK	Wide angle, line array speaker, dual 10" drivers, 140° x 10°, plywood enclosure, available in black	60.450	co <b>7</b> 00
WL2102-w-WH	and white	€3,150	€3,780
WL218-sw-BK WL218-sw-WH	Dual 18" portable subwoofer, can be ground stacked or suspended in arrays using integral array construction suspension hardware, includes transportation dolly, available in black and white	€3,772	€4,526
GP118-sw-BK GP118-sw-WH	18" portable subwoofer with the same acoustical performance as the WL118-sw regular enclosure with the 16 x M10 suspension points; available in black and white	€1,111	€1,333
GP218-sw-BK GP218-sw-WH	Dual 18" subwoofer; same acoustical performance as the WL218-sw, rectangular enclosure with 16 x M10 suspension points; available in black and white	€1,721	€2,065
WIDELINE-10 SERIES ACCES WL SMALLGRID-BK	SORIES Steel grid used for stacking four (4) or flying eight (8) WL2102 and WL2102-w, available in black or		
WL SMALLGRID-WH	white	€1,080	€1,296
WL LARGE GRID-BK	Steel grid used for stacking twelve (12) or flying twenty-four (24) WL2102 and WL2102-w, available	C1 110	C4 700
WL LARGE GRID-WH	in black or white	€1,440	€1,728
WL-8-PACK RACK	WideLine 2102 Eight pack rack: transport/storage rack, holds 8 units	€2,145	€2,574
WL-CASE	ISIS WideLine transport/storage case, holds 3 speakers	€1,531	€1,837
CVR-218	Padded transport cover for WL218-sw dual 18" subwoofer. Constructed of 1000 denier cordura nylon with heavy padding. Cutouts allow access to all handles, belly straps secure cover to enclosure when attached to transport dolly	€151	€181
CVR-GP218	Soft Cover for a single GP218 Sub-woofer.	€154	€185
AF218-sw	Aluminum array frame for stacking four (4) or flying eight (8) WL218-sw subwoofers	€2,153	€2,583
CP-218-0	Wood Caster Pallet for transport of GP-218-sw Subwoofer	€399	€479
CP-218-1	Wood Caster Pallet & Padded soft cover for transport of GP-218-sw subwoofer	€572	€686
CVR-GP218	Padded transport cover for a single GP-218 dual 18" subwoofer.	€151	€181
WIDELINE® - 8 SERIES LOUDS			
WL3082-BK	Ultra compact high performance line array module; dual neodymium 8" (200 mm) cone LF; 3" (75	£2 274	£2 720
WL3082-WH	mm) titanium diaphragm, neodymium magnet HF compression driver, 140° horizontal coverage, integral array-building hardware; available in black or white	€2,274	€2,729
WI 040 514	Ultra compact dual 12" (300 mm) bandpass subwoofer designed specifically for use with the	+	
WL212-sw-BK WL212-sw-WH	WL3082; can be ground-stacked or suspended and arrayed with WL3082; integral array-building hardware; available in black or white	€2,159	€2,591
GP212-BK	Ultra compact, dual 12" (300 mm) bandpass subwoofer; acoustically identical to WL212-sw; 6 x M10	€1,462	€1,754
GP212-WH	suspension points; M20 screw-in pole socket; available in black or white	,	
WEATHERIZED WIDELINE®		€0	€0
	Weatherized ultra compact high performance line array module; dual neodymium 8" (200 mm) cone		
WL3082-wx	LF; 3" (75 mm) titanium diaphragm, neodymium magnet HF compression driver, 140° horizontal coverage, fiberglass coated plywood enclosure, M10 suspension points, gray. Special order item - allow 90 days plus shipping for delivery.	€3,158	€3,789
WL2102-wx	Weatherized, wide angle, line array speaker, dual 10" drivers, 140° x 10°, fiberglass coated plywood enclosure, M10 suspension points, gray. Special order item - allow 90 days plus shipping for	€3,982	€4,778
WLZ 102-WX	Weatherized, dual 18" subwoofer; rectangular enclosure; gray. Special order item - allow 90 days	0,302	
GP218-wx	plus shipping for delivery.  Array frame for use with WL3082-wx; accommodates arrays of up to ? (?) WL3082-wx; available in	€3,432	€4,119
AF3082-wx	Array frame for use with WE3062-wx, accommodates arrays of up to ? (?) WE3062-wx, available in [	€1,081	€1,297
AF3U0Z-WX	medium grey. Special order item - allow 90 days plus shipping for delivery	C1,001	€1,291
AF2102-wx	Array frame for use with WL2102-wx; accommodates arrays of up to ? (?) WL3082-wx; available in medium grey. Special order item - allow 90 days plus shipping for delivery.	€1,236	
AF2102-wx WIDELINE® - 8 SERIES ACCE	Array frame for use with WL2102-wx; accommodates arrays of up to ? (?) WL3082-wx; available in medium grey. Special order item - allow 90 days plus shipping for delivery.  SSORIES	€1,236	€1,483
AF2102-wx  WIDELINE® - 8 SERIES ACCE CP212-2	Array frame for use with WL2102-wx; accommodates arrays of up to ? (?) WL3082-wx; available in medium grey. Special order item - allow 90 days plus shipping for delivery.  SSORIES  Castor Pallet & Padded cover for transporting 2 x WL212sw or 2 GP212sw	€1,236 €568	€1,483 €682
AF2102-wx  WIDELINE® - 8 SERIES ACCE CP212-2 CP212-3	Array frame for use with WL2102-wx; accommodates arrays of up to ? (?) WL3082-wx; available in medium grey. Special order item - allow 90 days plus shipping for delivery.  SSORIES  Castor Pallet & Padded cover for transporting 2 x WL212sw or 2 GP212sw  Castor Pallet & Padded cover for transporting 3 x WL212sw or 2 GP212sw	€1,236 €568 €600	€1,483 €682 €720
AF2102-wx  WIDELINE® - 8 SERIES ACCE CP212-2 CP212-3 CVR212-2	Array frame for use with WL2102-wx; accommodates arrays of up to ? (?) WL3082-wx; available in medium grey. Special order item - allow 90 days plus shipping for delivery.  SSORIES  Castor Pallet & Padded cover for transporting 2 x WL212sw or 2 GP212sw  Castor Pallet & Padded cover for transporting 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 2 X WL212sw or 2 GP212sw	€1,236 €568 €600 €126	€1,483 €682 €720 €152
AF2102-wx  WIDELINE® - 8 SERIES ACCE CP212-2 CP212-3	Array frame for use with WL2102-wx; accommodates arrays of up to ? (?) WL3082-wx; available in medium grey. Special order item - allow 90 days plus shipping for delivery.  SSORIES  Castor Pallet & Padded cover for transporting 2 x WL212sw or 2 GP212sw  Castor Pallet & Padded cover for transporting 3 x WL212sw or 2 GP212sw	€1,236 €568 €600	€1,483 €682 €720 €152 €189
AF2102-wx WIDELINE® - 8 SERIES ACCE: CP212-2 CP212-3 CVR212-2 CVR212-3	Array frame for use with WL2102-wx; accommodates arrays of up to ? (?) WL3082-wx; available in medium grey. Special order item - allow 90 days plus shipping for delivery.  SSORIES  Castor Pallet & Padded cover for transporting 2 x WL212sw or 2 GP212sw  Castor Pallet & Padded cover for transporting 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 2 X WL212sw or 2 GP212sw  Padded vinyl cover only for 3 X WL212sw or 2 GP212sw  Caster pallet for transport of 4 WL3082; includes padded nylon cover  Transition Array Frame - allows WL3082 WideLine-8 enclosures to be suspended beneath WL2102 or WL2102-w WideLine-10 enclosures	€1,236 €568 €600 €126 €158	€1,483 €682 €720 €152 €189 €562
AF2102-wx  WIDELINE® - 8 SERIES ACCE CP212-2 CP212-3 CVR212-2 CVR212-3 CP3082-4	Array frame for use with WL2102-wx; accommodates arrays of up to ? (?) WL3082-wx; available in medium grey. Special order item - allow 90 days plus shipping for delivery.  SSORIES Castor Pallet & Padded cover for transporting 2 x WL212sw or 2 GP212sw Castor Pallet & Padded cover for transporting 3 x WL212sw or 2 GP212sw Padded vinyl cover only for 2 X WL212sw or 2 GP212sw Padded vinyl cover only for 3 X WL212sw or 2 GP212sw Caster pallet for transport of 4 WL3082; includes padded nylon cover Transition Array Frame - allows WL3082 WideLine-8 enclosures to be suspended beneath WL2102	€1,236 €568 €600 €126 €158 €468	€1,483 €682 €720 €152 €189 €562 €1,296
AF2102-wx  WIDELINE® - 8 SERIES ACCE CP212-2 CP212-3 CVR212-2 CVR212-3 CP3082-4 AF8-10  AF3082-S-BK	Array frame for use with WL2102-wx; accommodates arrays of up to ? (?) WL3082-wx; available in medium grey. Special order item - allow 90 days plus shipping for delivery.  SSORIES  Castor Pallet & Padded cover for transporting 2 x WL212sw or 2 GP212sw  Castor Pallet & Padded cover for transporting 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 2 x WL212sw or 2 GP212sw  Padded vinyl cover only for 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 3 x WL212sw or 2 GP212sw  Caster pallet for transport of 4 WL3082; includes padded nylon cover  Transition Array Frame - allows WL3082 WideLine-8 enclosures to be suspended beneath WL2102 or WL2102-w WideLine-10 enclosures  Small array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) WL3082 or two (2) WL212-sw and eight (8) WL3082; can also be used in conjunction with EB3082 to construct arrays with WL212-sw suspended behind WL3082; available in black or white Large array frame for use with WL3082 and WL212-sw; accomodates arrays of up to twelve (12)	€1,236 €568 €600 €126 €158 €468 €1,080	€1,483 €682 €720 €152 €189 €562 €1,296
AF2102-wx  WIDELINE® - 8 SERIES ACCE: CP212-2 CP212-3 CVR212-2 CVR212-3 CP3082-4 AF8-10  AF3082-S-BK AF3082-S-WH AF3082-L-BK AF3082-L-BK AF3082-L-WH	Array frame for use with WL2102-wx; accommodates arrays of up to ? (?) WL3082-wx; available in medium grey. Special order item - allow 90 days plus shipping for delivery.  SSORIES  Castor Pallet & Padded cover for transporting 2 x WL212sw or 2 GP212sw  Castor Pallet & Padded cover for transporting 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 2 X WL212sw or 2 GP212sw  Padded vinyl cover only for 3 X WL212sw or 2 GP212sw  Padded vinyl cover only for 3 X WL212sw or 2 GP212sw  Caster pallet for transport of 4 WL3082; includes padded nylon cover  Transition Array Frame - allows WL3082 WideLine-8 enclosures to be suspended beneath WL2102 or WL2102-w WideLine-10 enclosures  Small array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) WL3082 or two (2) WL212-sw and eight (8) WL3082; can also be used in conjunction with EB3082 to construct arrays with WL212-sw suspended behind WL3082; available in black or white  Large array frame for use with WL3082 and WL212-sw; accomodates arrays of up to twelve (12) WL3082 or four (4) WL212-sw and twelve (12) WL3082; available in black or white	€1,236 €568 €600 €126 €158 €468 €1,080	€1,483 €682 €720 €152 €189 €562 €1,296
AF2102-wx  WIDELINE® - 8 SERIES ACCE: CP212-2 CP212-3 CVR212-3 CP3082-4 AF8-10 AF3082-S-BK AF3082-S-WH AF3082-L-BK AF3082-L-WH PB3082-BK	Array frame for use with WL2102-wx; accommodates arrays of up to ? (?) WL3082-wx; available in medium grey. Special order item - allow 90 days plus shipping for delivery.  SSORIES  Castor Pallet & Padded cover for transporting 2 x WL212sw or 2 GP212sw  Castor Pallet & Padded cover for transporting 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 2 X WL212sw or 2 GP212sw  Padded vinyl cover only for 3 X WL212sw or 2 GP212sw  Caster pallet for transport of 4 WL3082; includes padded nylon cover  Transition Array Frame - allows WL3082 WideLine-8 enclosures to be suspended beneath WL2102 or WL2102-w WideLine-10 enclosures  Small array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) WL3082 or two (2) WL212-sw and eight (8) WL3082; can also be used in conjunction with EB3082 to construct arrays with WL212-sw suspended behind WL3082; available in black or white  Large array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) WL3082 or four (4) WL212-sw and twelve(12) WL3082; available in black or white  Pullback bar for adjusting aiming angle of WideLine-8 arrays; may also be used to suspend small	€1,236 €568 €600 €126 €158 €468 €1,080	€1,483 €682 €720 €152 €189 €562 €1,296 €1,036
AF2102-wx  WIDELINE® - 8 SERIES ACCE: CP212-2 CP212-3 CVR212-3 CP3082-4 AF8-10  AF3082-S-BK AF3082-S-WH AF3082-L-WH PB3082-L-WH PB3082-BK PB3082-WH EB3082-BK	Array frame for use with WL2102-wx; accommodates arrays of up to ? (?) WL3082-wx; available in medium grey. Special order item - allow 90 days plus shipping for delivery.  SSORIES  Castor Pallet & Padded cover for transporting 2 x WL212sw or 2 GP212sw  Castor Pallet & Padded cover for transporting 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 2 X WL212sw or 2 GP212sw  Padded vinyl cover only for 3 X WL212sw or 2 GP212sw  Padded vinyl cover only for 3 X WL212sw or 2 GP212sw  Caster pallet for transport of 4 WL3082; includes padded nylon cover  Transition Array Frame - allows WL3082 WideLine-8 enclosures to be suspended beneath WL2102 or WL2102-w WideLine-10 enclosures  Small array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) WL3082 or two (2) WL212-sw and eight (8) WL3082; can also be used in conjunction with EB3082 to construct arrays with WL212-sw suspended behind WL3082; available in black or white  Large array frame for use with WL3082 and WL212-sw; accomodates arrays of up to twelve (12) WL3082 or four (4) WL212-sw and twelve (12) WL3082; available in black or white	€1,236 €568 €600 €126 €158 €468 €1,080 €863	€1,483 €682 €720 €152 €189 €562 €1,036 €1,836
AF2102-wx  WIDELINE®-8 SERIES ACCE CP212-2 CP212-3 CVR212-3 CVR212-3 CP3082-4  AF8-10  AF3082-S-BK AF3082-S-WH AF3082-L-WH PB3082-L-WH PB3082-BK PB3082-WH  EB3082-WH  EB3082-WH	Array frame for use with WL2102-wx; accommodates arrays of up to ? (?) WL3082-wx; available in medium grey. Special order item - allow 90 days plus shipping for delivery.  SSORIES  Castor Pallet & Padded cover for transporting 2 x WL212sw or 2 GP212sw  Castor Pallet & Padded cover for transporting 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 2 X WL212sw or 2 GP212sw  Padded vinyl cover only for 3 X WL212sw or 2 GP212sw  Caster pallet for transport of 4 WL3082; includes padded nylon cover  Transition Array Frame - allows WL3082 WideLine-8 enclosures to be suspended beneath WL2102 or WL2102-w WideLine-10 enclosures  Small array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) WL3082 or two (2) WL212-sw and eight (8) WL3082; can also be used in conjunction with EB3082 to construct arrays with WL212-sw suspended behind WL3082; available in black or white Large array frame for use with WL3082 and WL212-sw; accomodates arrays of up to twelve (12) WL3082 or four (4) WL212-sw and twelve(12) WL3082; available in black or white  Pullback bar for adjusting aiming angle of WideLine-8 arrays; may also be used to suspend small arrays; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white	€1,236 €568 €600 €126 €158 €468 €1,080 €863 €1,530 €468	€1,483 €682 €720 €152 €189 €562 €1,036 €1,836 €562
AF2102-wx  WIDELINE® - 8 SERIES ACCE: CP212-2 CP212-3 CVR212-3 CP3082-4 AF8-10  AF3082-S-BK AF3082-S-WH AF3082-L-WH PB3082-L-WH PB3082-BK PB3082-WH EB3082-BK	Array frame for use with WL2102-wx; accommodates arrays of up to ? (?) WL3082-wx; available in medium grey. Special order item - allow 90 days plus shipping for delivery.  SSORIES  Castor Pallet & Padded cover for transporting 2 x WL212sw or 2 GP212sw  Castor Pallet & Padded cover for transporting 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 2 X WL212sw or 2 GP212sw  Padded vinyl cover only for 3 X WL212sw or 2 GP212sw  Caster pallet for transport of 4 WL3082; includes padded nylon cover  Transition Array Frame - allows WL3082 WideLine-8 enclosures to be suspended beneath WL2102 or WL2102-w WideLine-10 enclosures  Small array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) WL3082 or two (2) WL212-sw and eight (8) WL3082; can also be used in conjunction with EB3082 to construct arrays with WL212-sw suspended behind WL3082; available in black or white  Large array frame for use with WL3082 and WL212-sw; accomodates arrays of up to twelve (12) WL3082 or four (4) WL212-sw and twelve(12) WL3082; available in black or white  Pullback bar for adjusting aiming angle of WideLine-8 arrays; may also be used to suspend small arrays; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WC212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white	€1,236 €568 €600 €126 €158 €468 €1,080 €863 €1,530 €468 €828	€1,483 €682 €720 €152 €189 €562 €1,036 €1,836 €562 €994
AF2102-wx  WIDELINE® - 8 SERIES ACCE CP212-2 CP212-3 CVR212-2 CV212-3 CP3082-4 AF8-10  AF3082-S-BK AF3082-S-WH AF3082-L-WH PB3082-L-WH PB3082-BK PB3082-WH EB3082-BK EB3082-BK EB3082-WH CSM SERIES CONCERT STAR	Array frame for use with WL2102-wx; accommodates arrays of up to ? (?) WL3082-wx; available in medium grey. Special order item - allow 90 days plus shipping for delivery.  SSORIES  Castor Pallet & Padded cover for transporting 2 x WL212sw or 2 GP212sw  Castor Pallet & Padded cover for transporting 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 2 X WL212sw or 2 GP212sw  Padded vinyl cover only for 3 X WL212sw or 2 GP212sw  Padded vinyl cover only for 3 X WL212sw or 2 GP212sw  Caster pallet for transport of 4 WL3082; includes padded nylon cover  Transition Array Frame - allows WL3082 WideLine-8 enclosures to be suspended beneath WL2102 or WL2102-w WideLine-10 enclosures  Small array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) WL3082 or two (2) WL212-sw and eight (8) WL3082; can also be used in conjunction with EB3082 to construct arrays with WL212-sw suspended behind WL3082; available in black or white  Large array frame for use with WL3082 and WL212-sw; accomodates arrays of up to twelve (12) WL3082 or four (4) WL212-sw and twelve(12) WL3082; available in black or white  Pullback bar for adjusting aiming angle of WideLine-8 arrays; may also be used to suspend small arrays; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  3E MONITORS  Low profile, high performance 10" stage monitor. Selectable pattern control; 3" (75 mm) compression driver; integral angle adjustment hardware.  Low profile, high performance 12" stage monitor. Selectable pattern control; 3" (75 mm) compression driver; integral angle edjustment hardware.	€1,236  €568 €600 €126 €158 €468 €1,080  €863 €1,530 €468 €828 €0	€1,483 €682 €720 €152 €189 €562 €1,296 €1,036 €1,836 €562 €994 €0
AF2102-wx  WIDELINE® - 8 SERIES ACCE: CP212-2 CP212-3 CVR212-3 CP3082-4 AF8-10  AF3082-S-BK AF3082-S-WH AF3082-L-BK AF3082-L-WH PB3082-BK PB3082-WH EB3082-WH CSM SERIES CONCERT STAIC	Array frame for use with WL2102-wx; accommodates arrays of up to ? (?) WL3082-wx; available in medium grey. Special order item - allow 90 days plus shipping for delivery.  SSORIES  Castor Pallet & Padded cover for transporting 2 x WL212sw or 2 GP212sw  Castor Pallet & Padded cover for transporting 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 2 X WL212sw or 2 GP212sw  Padded vinyl cover only for 3 X WL212sw or 2 GP212sw  Caster pallet for transport of 4 WL3082; includes padded nylon cover  Transition Array Frame - allows WL3082 WideLine-8 enclosures to be suspended beneath WL2102 or WL2102-w WideLine-10 enclosures  Small array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) WL3082 or two (2) WL212-sw and eight (8) WL3082; can also be used in conjunction with EB3082 to construct arrays with WL212-sw suspended behind WL3082; available in black or white  Large array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) WL3082 or four (4) WL212-sw and twelve(12) WL3082; available in black or white  Pullback bar for adjusting aiming angle of WideLine-8 arrays; may also be used to suspend small arrays; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  BE MONITORS  Low profile, high performance 10" stage monitor. Selectable pattern control; 3" (75 mm) compression driver; integral angle adjustment hardware.  Low profile, high performance 12" stage monitor. Selectable pattern control; 3" (75 mm) compression driver; integral angle adjustment hardware.  Low profile, high performance 15" stage monitor. Selectable pattern control; 3" (75 mm) compression driver; integral angle adjustment hardware.	€1,236  €568 €600 €126 €158 €468 €1,080  €863 €1,530 €468 €828 €0 €2,471 €2,609	€1,483 €682 €720 €152 €189 €1,296 €1,036 €1,836 €562 €994 €0 €2,966 €3,130
AF2102-wx  WIDELINE® - 8 SERIES ACCE: CP212-2 CP212-3 CVR212-2 CVR212-3 CP3082-4 AF8-10  AF3082-S-BK AF3082-S-WH AF3082-L-BK AF3082-L-WH PB3082-L-WH PB3082-WH EB3082-WH EB3082-WH CSM SERIES CONCERT STAR CSM10 CSM12	Array frame for use with WL2102-wx; accommodates arrays of up to ? (?) WL3082-wx; available in medium grey. Special order item - allow 90 days plus shipping for delivery.  SSORIES  Castor Pallet & Padded cover for transporting 2 x WL212sw or 2 GP212sw  Castor Pallet & Padded cover for transporting 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 2 X WL212sw or 2 GP212sw  Padded vinyl cover only for 3 X WL212sw or 2 GP212sw  Padded vinyl cover only for 3 X WL212sw or 2 GP212sw  Caster pallet for transport of 4 WL3082; includes padded nylon cover  Transition Array Frame - allows WL3082 WideLine-8 enclosures to be suspended beneath WL2102 or WL2102-w WideLine-10 enclosures  Small array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12)  WL3082 or two (2) WL212-sw and eight (8) WL3082; can also be used in conjunction with EB3082 to construct arrays with WL212-sw suspended behind WL3082; available in black or white  Large array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12)  WL3082 or four (4) WL212-sw and twelve(12) WL3082; available in black or white  Pullback bar for adjusting aiming angle of WideLine-8 arrays; may also be used to suspend small arrays; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  BE MONITORS  Low profile, high performance 10" stage monitor. Selectable pattern control; 3" (75 mm) compression driver; integral angle adjustment hardware.  Low profile, high performance 12" stage monitor. Selectable pattern control; 3" (75 mm) compression driver; integral angle adjustment hardware.	€1,236  €568 €600 €126 €158 €468 €1,080  €863 €1,530 €468 €828 €0	€1,483 €682 €720 €152 €189 €562 €1,296 €1,836 €562 €994 €0 €2,966 €3,130
AF2102-wx  WIDELINE® - 8 SERIES ACCE: CP212-2 CP212-3 CVR212-3 CP3082-4 AF8-10 AF3082-S-BK AF3082-S-WH AF3082-L-WH PB3082-L-WH PB3082-WH EB3082-WH EB3082-WH CSM SERIES CONCERT STATE CSM10 CSM12 CSM15	Array frame for use with WL2102-wx; accommodates arrays of up to ? (?) WL3082-wx; available in medium grey. Special order item - allow 90 days plus shipping for delivery.  SSORIES  Castor Pallet & Padded cover for transporting 2 x WL212sw or 2 GP212sw  Castor Pallet & Padded cover for transporting 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 2 X WL212sw or 2 GP212sw  Padded vinyl cover only for 3 X WL212sw or 2 GP212sw  Caster pallet for transport of 4 WL3082; includes padded nylon cover  Transition Array Frame - allows WL3082 WideLine-8 enclosures to be suspended beneath WL2102 or WL2102-w WideLine-10 enclosures  Small array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) WL3082 or two (2) WL212-sw and eight (8) WL3082; can also be used in conjunction with EB3082 to construct arrays with WL212-sw suspended behind WL3082; available in black or white  Large array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) WL3082 or four (4) WL212-sw and twelve(12) WL3082; available in black or white  Pullback bar for adjusting aiming angle of WideLine-8 arrays; may also be used to suspend small arrays; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  BE MONITORS  Low profile, high performance 10" stage monitor. Selectable pattern control; 3" (75 mm) compression driver; integral angle adjustment hardware.  Low profile, high performance 12" stage monitor. Selectable pattern control; 3" (75 mm) compression driver; integral angle adjustment hardware.  Low profile, high performance 15" stage monitor. Selectable pattern control; 3" (75 mm) compression driver; integral angle adjustment hardware.	€1,236  €568 €600 €126 €158 €468 €1,080  €863 €1,530 €468 €828 €0 €2,471 €2,609	€1,483  €682 €720 €152 €189 €562 €1,296  €1,836 €562 €994 €0 €2,966 €3,130 €3,295
AF2102-wx  WIDELINE® - 8 SERIES ACCE: CP212-2 CP212-3 CVR212-2 CVR212-3 CP3082-4 AF8-10  AF3082-S-BK AF3082-S-WH AF3082-L-WH PB3082-L-WH PB3082-BK PB3082-WH  EB3082-WH  CSM SERIES CONCERT STATE CSM10  CSM12  CX SERIES AMPLIFIERS CX302 CX502	Array frame for use with WL2102-wx; accommodates arrays of up to ? (?) WL3082-wx; available in medium grey. Special order item - allow 90 days plus shipping for delivery.  SSORIES  Castor Pallet & Padded cover for transporting 2 x WL212sw or 2 GP212sw  Castor Pallet & Padded cover for transporting 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 2 X WL212sw or 2 GP212sw  Padded vinyl cover only for 3 X WL212sw or 2 GP212sw  Padded vinyl cover only for 3 X WL212sw or 2 GP212sw  Caster pallet for transport of 4 WL3082; includes padded nylon cover  Transition Array Frame - allows WL3082 WideLine-8 enclosures to be suspended beneath WL2102 or WL2102-w WideLine-10 enclosures  Small array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12)  WL3082 or two (2) WL212-sw and eight (8) WL3082; can also be used in conjunction with EB3082 to construct arrays with WL212-sw suspended behind WL3082; available in black or white  Large array frame for use with WL3082 and WL212-sw; accomodates arrays of up to twelve (12)  WL3082 or four (4) WL212-sw and twelve(12) WL3082; available in black or white  Pullback bar for adjusting aiming angle of WideLine-8 arrays; may also be used to suspend small arrays; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  3E MONITORS  Low profile, high performance 10" stage monitor. Selectable pattern control; 3" (75 mm) compression driver; integral angle adjustment hardware.  Low profile, high performance 12" stage monitor. Selectable pattern control; 3" (75 mm) compression driver; integral angle adjustment hardware.  Low profile, high performance 15" stage monitor. Selectable pattern control; 3" (75 mm) compression driver; integral angle adjustment hardware.  Low profile, high performance 15" stage monitor. Selectable pattern control; 3" (75 mm) compression driver; integral angle adjustment	€1,236  €568 €600 €126 €158 €468 €1,080  €863 €1,530 €468 €2,471 €2,609 €2,746 €694 €859	€1,483  €682 €720 €152 €189 €562 €1,296 €1,836 €562 €994 €0 €2,966 €3,130 €3,295 €832 €1,031
AF2102-wx  WIDELINE® - 8 SERIES ACCE: CP212-2 CP212-3 CVR212-3 CP3082-4 AF8-10 AF3082-S-BK AF3082-S-WH AF3082-L-WH PB3082-L-WH PB3082-BK PB3082-WH CSM SERIES CONCERT STAT CSM10 CSM12 CSM15 CX SERIES AMPLIFIERS CX302 CX502 CX702	Array frame for use with WL2102-wx; accommodates arrays of up to ? (?) WL3082-wx; available in medium grey. Special order item - allow 90 days plus shipping for delivery.  SSORIES  Castor Pallet & Padded cover for transporting 2 x WL212sw or 2 GP212sw  Castor Pallet & Padded cover for transporting 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 2 X WL212sw or 2 GP212sw  Padded vinyl cover only for 3 X WL212sw or 2 GP212sw  Caster pallet for transport of 4 WL3082; includes padded nylon cover  Transition Array Frame - allows WL3082 WideLine-8 enclosures to be suspended beneath WL2102 or WL2102-w WideLine-10 enclosures  Small array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) WL3082 or two (2) WL212-sw and eight (8) WL3082; can also be used in conjunction with EB3082 to construct arrays with WL212-sw suspended behind WL3082; available in black or white  Large array frame for use with WL3082 and WL212-sw; accomodates arrays of up to twelve (12) WL3082 or four (4) WL212-sw and twelve(12) WL3082; available in black or white  Pullback bar for adjusting aiming angle of WideLine-8 arrays; may also be used to suspend small arrays; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  Duy profile, high performance 10" stage monitor. Selectable pattern control; 3" (75 mm) compression driver; integral angle adjustment hardware.  Low profile, high performance 15" stage monitor. Selectable pattern control; 3" (75 mm) compression driver; integral angle adjustment hardware.  Low profile, high performance 15" stage monitor. Selectable pattern control; 3" (75 mm) compression driver; integral angle adjustment hardware.  Low profile, high performance 15" stage monitor. Selectable pattern control; 3" (75 mm) compression driver; integral angle adjustment hardware.  Low profile, high performance 15" stage monitor. Selectabl	€1,236  €568 €600 €126 €158 €468 €1,080  €863 €1,530 €468 €2,471 €2,609 €2,746 €694 €859 €1,065	€1,483  €682 €720 €152 €189 €562 €1,296 €1,036 €562 €994 €0 €2,966 €3,130 €3,295 €832 €1,031 €1,278
AF2102-wx  WIDELINE®-8 SERIES ACCE: CP212-2 CP212-3 CVR212-3 CP3082-4 AF8-10 AF3082-S-BK AF3082-S-WH AF3082-L-WH PB3082-L-WH PB3082-WH EB3082-WH CSM SERIES CONCERT STATE CSM10 CSM12 CSM15 CX SERIES AMPLIFIERS CX302 CX502 CX702 CX902	Array frame for use with WL2102-wx; accommodates arrays of up to ? (?) WL3082-wx; available in medium grey. Special order item - allow 90 days plus shipping for delivery.  SSORIES  Castor Pallet & Padded cover for transporting 2 x WL212sw or 2 GP212sw  Castor Pallet & Padded cover for transporting 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 2 x WL212sw or 2 GP212sw  Padded vinyl cover only for 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 3 x WL212sw or 2 GP212sw  Caster pallet for transport of 4 WL3082; includes padded nylon cover  Transition Array Frame - allows WL3082 WideLine-8 enclosures to be suspended beneath WL2102 or WL2102-w WideLine-10 enclosures  Small array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) WL3082 or two (2) WL212-sw and eight (8) WL3082; can also be used in conjunction with EB3082 to construct arrays with WL212-sw suspended behind WL3082; available in black or white  Large array frame for use with WL3082 and WL212-sw; accomodates arrays of up to twelve (12) WL3082 or four (4) WL212-sw and twelve(12) WL3082; available in black or white  Pullback bar for adjusting aiming angle of WideLine-8 arrays; may also be used to suspend small arrays; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind array	€1,236  €568 €600 €126 €158 €468 €1,080  €863 €1,530 €468  €2,471 €2,609 €2,471 €2,609 €1,2746	€1,483  €682 €720 €152 €189 €562 €1,296 €1,036 €2,966 €3,130 €3,295 €832 €1,031 €1,278 €1,525
AF2102-wx  WIDELINE® - 8 SERIES ACCE CP212-2 CP212-3 CVR212-3 CVR212-3 CP3082-4 AF8-10  AF3082-S-BK AF3082-S-WH AF3082-L-WH PB3082-L-WH PB3082-WH EB3082-WH CSM SERIES CONCERT STATE CSM10  CSM12 CSM15 CX SERIES AMPLIFIERS CX302 CX502 CX702 CX902 CX1102	Array frame for use with WL2102-wx; accommodates arrays of up to ? (?) WL3082-wx; available in medium grey. Special order item - allow 90 days plus shipping for delivery.  SSORIES  Castor Pallet & Padded cover for transporting 2 x WL212sw or 2 GP212sw  Castor Pallet & Padded cover for transporting 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 2 X WL212sw or 2 GP212sw  Padded vinyl cover only for 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 3 x WL212sw or 2 GP212sw  Caster pallet for transport of 4 WL3082; includes padded nylon cover  Transition Array Frame - allows WL3082 WideLine-8 enclosures to be suspended beneath WL2102 or WL2102-w WideLine-10 enclosures  Small array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12)  WL3082 or two (2) WL212-sw and eight (8) WL3082; can also be used in conjunction with EB3082 to construct arrays with WL212-sw suspended behind WL3082; available in black or white  Large array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12)  WL3082 or four (4) WL212-sw and twelve(12) WL3082; available in black or white  Large array frame for use with twelve (12) WL3082; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  Extension bar - used in conjunction with two (2) AF3082-b array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  Extension bar - used in conjunction with tw	€1,236  €568 €600 €126 €158 €468 €1,080  €863 €1,530 €468  €828 €0 €2,471 €2,609 €2,746 €694 €859 €1,065 €1,271 €1,409	€1,483  €682 €720 €152 €189 €562 €1,036 €1,836 €562 €994 €0 €2,966 €3,130 €3,295 €1,031 €1,525 €1,690
AF2102-wx  WIDELINE®-8 SERIES ACCE CP212-2 CP212-3 CVR212-3 CVR212-3 CP3082-4 AF8-10  AF3082-S-BK AF3082-S-WH AF3082-L-WH PB3082-L-WH PB3082-BK PB3082-WH  EB3082-WH  CSM SERIES CONCERT STACE CSM10  CSM12 CSM15 CX SERIES AMPLIFIERS CX302 CX502 CX702 CX902 CX1102 CX302V	Array frame for use with WL2102-wx; accommodates arrays of up to ? (?) WL3082-wx; available in medium grey. Special order item - allow 90 days plus shipping for delivery.  SSORIES  Castor Pallet & Padded cover for transporting 2 x WL212sw or 2 GP212sw  Castor Pallet & Padded cover for transporting 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 2 X WL212sw or 2 GP212sw  Padded vinyl cover only for 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 3 x WL212sw or 2 GP212sw  Caster pallet for transport of 4 WL3082; includes padded nylon cover  Transition Array Frame - allows WL3082 WideLine-8 enclosures to be suspended beneath WL2102 or WL2102-w WideLine-10 enclosures  Small array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) wL3082 or two (2) WL212-sw and eight (8) WL3082; can also be used in conjunction with EB3082 to construct arrays with WL212-sw suspended behind WL3082; available in black or white Large array frame for use with WL3082 and WL212-sw; accomodates arrays of up to twelve (12) WL3082 or four (4) WL212-sw and twelve(12) WL3082; available in black or white Large array frame for use with wL3082 and WL212-sw; accomodates arrays of up to twelve (12) WL3082 or four (4) WL212-sw and twelve(12) WL3082; available in black or white Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw sub	€1,236  €568 €600 €126 €158 €468 €1,080  €863  €1,530  €468 €2,471 €2,609 €2,746 €694 €859 €1,065 €1,271 €1,409 €694	€1,483  €682 €720 €152 €189 €562 €1,296 €1,836 €562 €994 €0 €2,966 €3,130 €3,295 €832 €1,031 €1,278 €1,525 €1,690 €832
AF2102-wx  WIDELINE® - 8 SERIES ACCE: CP212-2 CP212-3 CVR212-2 CVR212-3 CP3082-4  AF8-10  AF3082-S-BK AF3082-S-WH AF3082-L-BK AF3082-L-WH PB3082-BK PB3082-WH  EB3082-WH  CSM SERIES CONCERT STAI CSM10  CSM12  CSM12  CX SERIES AMPLIFIERS CX302 CX502 CX702 CX902 CX102 CX302V CX302V CX602V	Array frame for use with WL2102-wx; accommodates arrays of up to ? (?) WL3082-wx; available in medium grey. Special order item - allow 90 days plus shipping for delivery.  SSORIES  Castor Pallet & Padded cover for transporting 2 x WL212sw or 2 GP212sw  Castor Pallet & Padded cover for transporting 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 2 X WL212sw or 2 GP212sw  Padded vinyl cover only for 3 X WL212sw or 2 GP212sw  Caster pallet for transport of 4 WL3082; includes padded nylon cover  Transition Array Frame - allows WL3082 WideLine-8 enclosures to be suspended beneath WL2102 or WL2102-w WideLine-10 enclosures  Small array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12)  WL3082 or two (2) WL212-sw and eight (8) WL3082; can also be used in conjunction with EB3082 to construct arrays with WL212-sw suspended behind WL3082; available in black or white  Large array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12)  WL3082 or four (4) WL212-sw and twelve(12) WL3082; available in black or white  Pullback bar for adjusting aiming angle of WideLine-8 arrays; may also be used to suspend small arrays; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  Extension bar - used in conjunction with two (2) AF3082-B array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  Extension bar - used in conjunction with two (2) AF3082-B array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  Extension bar - used in conjunction with two	€1,236  €568 €600 €126 €158 €468 €1,080  €863  €1,530 €468  €2,471 €2,609 €2,746  €694 €859 €1,065 €1,271 €1,409 €694 €1,065	€1,483  €682 €720 €152 €189 €562 €1,036 €3,130 €3,295 €1,031 €1,278 €1,525 €1,690
AF2102-wx  WIDELINE®-8 SERIES ACCE CP212-2 CP212-3 CVR212-3 CVR212-3 CP3082-4 AF8-10  AF3082-S-BK AF3082-S-WH AF3082-L-WH PB3082-L-WH PB3082-BK PB3082-WH  EB3082-WH  CSM SERIES CONCERT STACE CSM10  CSM12 CSM15 CX SERIES AMPLIFIERS CX302 CX502 CX702 CX902 CX1102 CX302V	Array frame for use with WL2102-wx; accommodates arrays of up to ? (?) WL3082-wx; available in medium grey. Special order item - allow 90 days plus shipping for delivery.  SSORIES  Castor Pallet & Padded cover for transporting 2 x WL212sw or 2 GP212sw  Castor Pallet & Padded cover for transporting 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 2 X WL212sw or 2 GP212sw  Padded vinyl cover only for 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 3 x WL212sw or 2 GP212sw  Caster pallet for transport of 4 WL3082; includes padded nylon cover  Transition Array Frame - allows WL3082 WideLine-8 enclosures to be suspended beneath WL2102 or WL2102-w WideLine-10 enclosures  Small array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) wL3082 or two (2) WL212-sw and eight (8) WL3082; can also be used in conjunction with EB3082 to construct arrays with WL212-sw suspended behind WL3082; available in black or white Large array frame for use with WL3082 and WL212-sw; accomodates arrays of up to twelve (12) WL3082 or four (4) WL212-sw and twelve(12) WL3082; available in black or white Large array frame for use with wL3082 and WL212-sw; accomodates arrays of up to twelve (12) WL3082 or four (4) WL212-sw and twelve(12) WL3082; available in black or white Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw sub	€1,236  €568 €600 €126 €158 €468 €1,080  €863  €1,530  €468 €2,471 €2,609 €2,746 €694 €859 €1,065 €1,271 €1,409 €694	€1,483  €682 €720 €152 €189 €562 €1,296 €1,036 €3,130 €3,295 €1,690 €1,625 €1,626 €31,278 €1,525 €1,525 €1,525 €1,525
AF2102-wx  WIDELINE® - 8 SERIES ACCE: CP212-2 CP212-3 CVR212-3 CP3082-4 AF8-10 AF3082-S-BK AF3082-S-WH AF3082-L-BK AF3082-L-WH PB3082-BK PB3082-WH CSM SERIES CONCERT STATE CSM10 CSM12 CSM12 CX SERIES AMPLIFIERS CX302 CX702 CX702 CX702 CX902 CX1102 CX302V CX1202V	Array frame for use with WL2102-wx; accommodates arrays of up to ? (?) WL3082-wx; available in medium grey. Special order item - allow 90 days plus shipping for delivery.  SSORIES  Castor Pallet & Padded cover for transporting 2 x WL212sw or 2 GP212sw  Castor Pallet & Padded cover for transporting 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 2 x WL212sw or 2 GP212sw  Padded vinyl cover only for 3 x WL212sw or 2 GP212sw  Caster pallet for transport of 4 WL3082; includes padded nylon cover  Transition Array Frame - allows WL3082 WideLine-8 enclosures to be suspended beneath WL2102 or WL2102-w WideLine-10 enclosures  Small array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) WL3082 or two (2) WL212-sw and eight (8) WL3082; can also be used in conjunction with EB3082 to construct arrays with WL212-sw suspended behind WL3082; available in black or white Large array frame for use with WL3082 and WL212-sw; accomodates arrays of up to twelve (12) WL3082 or four (4) WL212-sw and twelve(12) WL3082; available in black or white  Pullback bar for adjusting aiming angle of WideLine-8 arrays; may also be used to suspend small arrays; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  Extension bar - used in conjunction with two (3) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  Extension bar - used in conjunction with two (4) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  Extension bar - used in conjunction with two (6)	€1,236  €568 €600 €126 €158 €468 €1,080  €863 €1,530 €468  €2,471 €2,609 €2,746  €694 €859 €1,065 €1,271 €1,409 €694 €1,065 €1,271	€1,483  €682 €720 €152 €189 €562 €1,036 €1,836 €562 €994 €0 €2,966 €3,130 €3,295 €832 €1,031 €1,278 €1,525 €1,690 €832 €1,278 €1,525 €1,1555 €1,1555
AF2102-wx  WIDELINE®-8 SERIES ACCE CP212-2 CP212-3 CP212-3 CVR212-3 CP3082-4 AF8-10  AF3082-S-BK AF3082-S-WH AF3082-L-WH PB3082-L-WH PB3082-BK PB3082-WH  CSM SERIES CONCERT STATE CSM10  CSM12 CSM12 CX502 CX502 CX702 CX902 CX102 CX302V CX102V CX254 CX404 CX204V	Array frame for use with WL2102-wx; accommodates arrays of up to ? (?) WL3082-wx; available in medium grey. Special order item - allow 90 days plus shipping for delivery.  SSORIES  Castor Pallet & Padded cover for transporting 2 x WL212sw or 2 GP212sw  Castor Pallet & Padded cover for transporting 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 2 x WL212sw or 2 GP212sw  Padded vinyl cover only for 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 3 x WL212sw or 2 GP212sw  Caster pallet for transport of 4 WL3082; includes padded nylon cover  Transition Array Frame - allows WL3082 WideLine-8 enclosures to be suspended beneath WL2102 or WL2102-w WideLine-10 enclosures  Small array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) wL3082 or two (2) WL212-sw and eight (8) WL3082; can also be used in conjunction with EB3082 to construct arrays with WL212-sw suspended behind WL3082; available in black or white  Large array frame for use with WL3082 and WL212-sw; accomodates arrays of up to twelve (12) WL3082 or four (4) WL212-sw and twelve(12) WL3082; available in black or white  Pullback bar for adjusting aiming angle of WideLine-8 arrays; may also be used to suspend small arrays; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or	€1,236  €568 €600 €126 €158 €468 €1,080  €863  €1,530  €468 €2,471 €2,609 €2,746  €694 €859 €1,065 €1,271 €1,409 €694 €1,065 €1,271 €962 €962 €962	€1,483  €682 €720 €152 €189 €562 €1,036 €1,836 €562 €994 €0 €2,966 €3,130 €3,295 €1,031 €1,278 €1,525 €1,155 €1,155
AF2102-wx  WIDELINE® - 8 SERIES ACCE: CP212-2 CP212-3 CP212-3 CP3082-4 AF8-10 AF3082-S-BK AF3082-S-WH AF3082-L-WH PB3082-L-WH PB3082-BK EB3082-WH CSM SERIES CONCERT STATE CSM10 CSM12 CSM12 CX502 CX702 CX502 CX702 CX302 CX102 CX302V CX254 CX404 CX204V CX168	Array frame for use with WL2102-wx; accommodates arrays of up to ? (?) WL3082-wx; available in medium grey. Special order item - allow 90 days plus shipping for delivery.  SSORIES  Castor Pallet & Padded cover for transporting 2 x WL212sw or 2 GP212sw  Castor Pallet & Padded cover for transporting 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 2 x WL212sw or 2 GP212sw  Padded vinyl cover only for 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 3 x WL212sw or 2 GP212sw  Caster pallet for transport of 4 WL3082; includes padded nylon cover  Transition Array Frame - allows WL3082 WideLine-8 enclosures to be suspended beneath WL2102 or WL2102-w WideLine-10 enclosures  Small array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) WL3082 or two (2) WL212-sw and eight (8) WL3082; can also be used in conjunction with EB3082 to construct arrays with WL212-sw suspended behind WL3082; available in black or white  Large array frame for use with WL3082 and WL212-sw; accomodates arrays of up to twelve (12) WL3082 or four (4) WL212-sw and twelve(12) WL3082; available in black or white  Pullback bar for adjusting aiming angle of WideLine-8 arrays; may also be used to suspend small arrays; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  SE MONITORS  Low profile, high performance 10" stage monitor. Selectable pattern control; 3" (75 mm) compression driver; integral angle adjustment hardware.  Low profile, high performance 15" stage monitor. Selectable pattern control; 3" (75 mm) compression driver; integral angle adjustment hardware.  Low profile, high performance 15" stage monitor. Selectable pattern control; 3" (75 mm) compression driver; integral angle adjustment hardware.  2 channels, 200 watts/ch at 8Ω, 325 watts/ch at 4Ω, 600 watts/ch at 2Ω  2 channels, 425 watts/ch at 8Ω, 500 watts/ch at 4Ω, 1000 watts/c	€1,236  €568 €600 €126 €158 €468 €1,080  €863  €1,530 €468  €2,471 €2,609 €2,746  €694 €859 €1,065 €1,271 €1,409 €694 €1,065 €1,271 €962 €962 €962 €962 €1,271	€1,483  €682 €720 €152 €189 €562 €1,296 €1,036 €2,966 €3,130 €3,295 €832 €1,031 €1,278 €1,525 €1,155 €1,155 €1,1555 €1,1555
AF2102-wx  WIDELINE®-8 SERIES ACCE CP212-2 CP212-3 CP212-3 CVR212-3 CP3082-4 AF8-10  AF3082-S-BK AF3082-S-WH AF3082-L-WH PB3082-L-WH PB3082-BK PB3082-WH  CSM SERIES CONCERT STATE CSM10  CSM12 CSM12 CX502 CX502 CX702 CX902 CX102 CX302V CX102V CX254 CX404 CX204V	Array frame for use with WL2102-wx; accommodates arrays of up to ? (?) WL3082-wx; available in medium grey. Special order item - allow 90 days plus shipping for delivery.  SSORIES  Castor Pallet & Padded cover for transporting 2 x WL212sw or 2 GP212sw  Castor Pallet & Padded cover for transporting 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 2 x WL212sw or 2 GP212sw  Padded vinyl cover only for 3 x WL212sw or 2 GP212sw  Padded vinyl cover only for 3 x WL212sw or 2 GP212sw  Caster pallet for transport of 4 WL3082; includes padded nylon cover  Transition Array Frame - allows WL3082 WideLine-8 enclosures to be suspended beneath WL2102 or WL2102-w WideLine-10 enclosures  Small array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) wL3082 or two (2) WL212-sw and eight (8) WL3082; can also be used in conjunction with EB3082 to construct arrays with WL212-sw suspended behind WL3082; available in black or white  Large array frame for use with WL3082 and WL212-sw; accomodates arrays of up to twelve (12) WL3082 or four (4) WL212-sw and twelve(12) WL3082; available in black or white  Pullback bar for adjusting aiming angle of WideLine-8 arrays; may also be used to suspend small arrays; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white  Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or	€1,236  €568 €600 €126 €158 €468 €1,080  €863  €1,530  €468 €2,471 €2,609 €2,746  €694 €859 €1,065 €1,271 €1,409 €694 €1,065 €1,271 €962 €962 €962	€1,483  €682 €720 €152 €189 €562 €1,296  €1,036 €2,966 €3,130 €3,295 €832 €1,031 €1,525 €1,690

GX3	2 channels, 300 watts/ch at $8\Omega$ , 425 watts/ch at $4\Omega$	€252	€303
GX5	2 channels, 500 watts/ch at $8\Omega$ , 700 watts/ch at $4\Omega$	€324	€388
GX7	Lightweight, 2 channels, 725 watts/ch at $8\Omega$ , 1000 watts/ch at $4\Omega$ .	€499	€599
ISA SERIES AMPLIFIERS	0. share all 405 with the at 00,000 with the at 40,400 with the at 00	5000	6470
ISA280 ISA450	2 channels, 185 watts/ch at $8\Omega$ , 280 watts/ch at $4\Omega$ , 430 watts/ch at $2\Omega$ 2 channels, 260 watts/ch at $8\Omega$ , 425 watts/ch at $4\Omega$ , 700 watts/ch at $2\Omega$	€392 €467	€470 €560
ISA750	2 channels, 450 watts/ch at $8\Omega$ , 425 watts/ch at $4\Omega$ , 700 watts/ch at $2\Omega$	€639	€766
ISA1350	2 channels, 800 watts/ch at $8\Omega$ , 1300 watts/ch at $4\Omega$ , 2000 watts/ch at $2\Omega$ , 1500 watts/ch at 70V	€1,207	€1,448
ISA300Ti	(direct output) 2 channels, 185 watts/ch at 8Ω, 280 watts/ch at 4Ω, 430 watts/ch at 2Ω, 300 watts/ch at 70V	€510	€612
ISA500Ti	2 channels, 185 watts/ch at 8 $\Omega$ , 280 watts/ch at 4 $\Omega$ , 430 watts/ch at 2 $\Omega$ , 500 watts/ch at 70V 2 channels, 260 watts/ch at 8 $\Omega$ , 425 watts/ch at 4 $\Omega$ , 700 watts/ch at 2 $\Omega$ , 500 watts/ch at 70V	€612	€734
ISA800Ti	2 channels, 450 watts/ch at $8\Omega$ , 650 watts/ch at $4\Omega$ , 1200 watts/ch at $2\Omega$ , 800 watts/ch at 70V	€821	€985
PLX2 SERIES AMPLIFIERS	2 originals, 100 water original original (122, 1200 water original original original)		
PLX1104	Dual channel amplifier with PowerLight technology, lightweight (13 lbs / 5.9 kg), 325 watts/ch at $8\Omega$ , 550 watts/ch at $4\Omega$	€550	€659
PLX1804	boo watts/cn at $4\Omega$ Dual channel amplifier with PowerLight technology, lightweight (13 lbs / 5.9 kg), 600 watts/ch at $8\Omega$ , 900 watts/ch at $4\Omega$	€645	€774
PLX1802	Dual channel amplifier with PowerLight technology, lightweight (21 lbs / $9.5$ kg), user selectable crossover for driving a subwoofer and top box with one amplifier, 330 watts/ch at $8\Omega$ , 575 watts/ch at	€775	€929
	$4\Omega$ , 900 watts/ch at $2\Omega$ Dual channel amplifier with PowerLight technology, lightweight (21 lbs / 9.5 kg), user selectable		
PLX2502	but channel amplifies with rewell-light technology, fightweight (21 lbs 7 s.s. kg), user selectable crossover for driving a subwoofer and top box with one amplifier, 450 watts/ch at 8 $\Omega$ , 750 watts/ch at 4 $\Omega$ . 1250 watts/ch at 2 $\Omega$	€826	€992
PLX3102	Dual channel amplifier with PowerLight technology, lightweight (21 lbs / 9.5 kg), user selectable crossover for driving a subwoofer and top box with one amplifier, 600 watts/ch at $8\Omega$ , 1000 watts/ch at $4\Omega$ . 1550 watts/ch at $2\Omega$	€917	€1,100
PLX3602	Dual channel amplifier with PowerLight technology, lightweight (21 lbs / 9.5 kg), user selectable crossover for driving a subwoofer and top box with one amplifier, 775 watts/ch at $8\Omega$ , 1250 watts/ch at $4\Omega$ , 1800 watts/ch at $2\Omega$	€1,098	€1,317
POWERLIGHT®3 SERIES AME			
PL325	2 channels, 475 watts/ch at 8 $\Omega$ , 825 watts/ch at 4 $\Omega$ , 1250 watts/ch at 2 $\Omega$	€1,031	€1,237
PL340	2 channels, 800 watts/ch at $8\Omega$ , 1200 watts/ch at $4\Omega$ , 2000 watts/ch at $2\Omega$	€1,356	€1,627
PL380	2 channels, 1500 watts/ch at $8\Omega$ , 2600 watts/ch at $4\Omega$ , 4000 watts/ch at $2\Omega$	€2,145	€2,573
RMX SERIES AMPLIFIERS			
RMX850	2 channels, 200 watts/ch at $8\Omega$ , 300 watts/ch at $4\Omega$ , 430 watts/ch at $2\Omega$	€354	€424
RMX1450	2 channels, 280 watts/ch at 8Ω, 450 watts/ch at 4Ω, 700 watts/ch at 2Ω	€418	€501
RMX1850HD	2 channels, 360 watts/ch at 8 $\Omega$ , 600 watts/ch at 4 $\Omega$ , 900 watts/ch at 2 $\Omega$	€525	€630
RMX2450	2 channels, 500 watts/ch at $8\Omega$ , 750 watts/ch at $4\Omega$ , 1200 watts/ch at $2\Omega$	€579	€695
RMX4050HD	2 channels, 850 watts/ch at $8\Omega$ , 1400 watts/ch at $4\Omega$ , 2000 watts/ch at $2\Omega$ , 4000 watts/ch at $4\Omega$ (bridged)	€1,024	€1,229
RMX5050	2 channels, 1100 watts/ch at $8\Omega$ , 1800 watts/ch at $4\Omega$ , 2500 watts/ch at $2\Omega$ , 5000 watts/ch at $4\Omega$ (bridged)	€1,188	€1,425
CMX SERIES AMPLIFIERS	Out to the state of the state o		
CMX300V	Contractor power amplifier / 2 channel, 200 watts/ch at $8\Omega$ , 300 watts/ch at $4\Omega$ , 70V/mono at 600 Watts	€354	€424
CMX500V	Contractor power amplifier / 2 channel, 300 watts/ch at $8\Omega$ , 500 watts/ch at $4\Omega$ , 70V mono/ at 1200 Watts	€418	€501
CMX800V	Contractor power amplifier / 2 channel, 500 watts/ch at $8\Omega$ , 800 watts/ch at $4\Omega$ , 70V/mono at 2000 Watts, 100V/mono at 2300 Watts	€579	€695
CMX2000V	Contractor power amplifier / 2 channel, 1100 watts/ch at 8Ω, 2000 watts/ch at 4Ω, 70V/ch at 2500	€1,188	€1,425
AMPLIFIER ACCESSORIES	Watts, 100V/ch at 1000 Watts	- ,	- ,
AMPLIFIER ACCESSORIES	BusCard – accommodates one signal processor (crossover, limiter or EQ) for PLX, CX and DCA		
BSC-3	amplifiers, XF-1 input transformers may also be added(not compatible with PLX2)	€37	€44
BSC-6	BusCard – accommodates UF-3 filter for PL3.4, PL3.8x and PL4.0 amplifiers	€37	€44
BSC-7	BusCard – accommodates two signal processor cards for 4-channel CX and DCA amplifiers, XF-1 input transformers may also be added	€76	€92
IT-42	Isolation Transformer – 25V, 70V, and 100V dual output transformer for CX302	€197	€237
LF-3	Low-pass Filter – used with XC-3 for 3-way systems	€154	€185
OT-300a	Output Autoformer – 300W 70V autoformer	€85	€102
OT-600 SEQ-2	Output Autoformer – 600W 70V autoformer  Stereo EQ – 5-band EQ with +/- 12 dB boost and cut range	€121 €56	€146 €68
SF-3	Subwoofer Filter – provides adjustable bandpass filtering with optional B6 boost and mono-summing	€154	€185
UF-3	Universal Filter – Two independent channels of fourth order filtering configurable for high-pass, low-	€93	€111
XC-3	pass, or band-pass operation, plus CD-horn EQ  Crossover – Active 2-way crossover for bi-amped speakers. Can be used with LF-3 for tri-amp operation	€154	€185
XF-1	Input Isolation Transformer – High-bandwidth input transformer for reducing common mode noise	€55	€66
3" Rack Ear	3" Rear support rack ear kit	€16	€19
EDUCATION MATERIALS			
UNDERSTANDING SOUND REINFORCEMENT DVD	This DVD-based self-paced couse teaches the fundamentals of audio, acoustics and sound reinforcement. NTSC video. English with secondary spanish language track. Total run time 2:27.	€57	€68
QSCONTROL.NET® PRODUC BASIS904zz	TS (Factory certification training required for all models.)  Amplifier control and monitoring, configurable DSP, 16 analog outputs via DataPort, CobraNet I/O	€3,680	€4,415
BASIS914Iz	Amplifier control and monitoring, configurable DSP, 4 analog line-level inputs via XLR connectors, 16 analog outputs via DataPort, CobraNet I/O	€3,638	€4,365
BASIS922az	Amplifier control and monitoring, configurable DSP, 8 analog inputs via euro style connectors, 8 analog outputs via DataPort connectors, CobraNet I/O	€2,956	€3,547
BASIS922dz	Amplifier control and monitoring, configurable DSP, AES/EBU input pairs (8 channels) via 25-pin DB- 25 connectors, 8 analog outputs via DataPort connectors CobraNet I/O	€2,956	€3,547
BASIS922uz	Amplifier control and monitoring, configurable DSP, 8 analog universal (mic/line) inputs via euro style connectors, 8 analog outputs via DataPort connectors, CobraNet I/O	€3,319	€3,983
DSP322ua	Configurable DSP, 8 analog universal (mic/line) inputs via euro style connectors, 8 analog outputs via euro style connectors	€2,647	€3,176
l			

analog outputs via euro style connectors  NAC-100  Network audio controller for QSControl.net systems; color graphic display  NAC-100-WH  DIGITAL SIGNAL PROCESSORS  DSP-3  2 channel digital signal processor with euro style input/output connectors  DSP-30  2 channel digital signal processor with Combo XLR input/output connector  DSP-4  2 channel digital signal processor with XLR input/output connectors, sma  SC-28  2 x 8 processor for QSC loudspeakers  DIGITAL/NETWORK ACCESSORIES  WCP-1  Wall Control Plate with Rotary Potentiometer  Wall Control Plate with Rotary BCD Switch	es, small form factor €390	5 €690
NAC-100-WH Ethernet); available in black (NAC-100) or white (NAC-100-WH)  DIGITAL SIGNAL PROCESSORS  DSP-3  2 channel digital signal processor with euro style input/output connectors DSP-30  2 channel digital signal processor with Combo XLR input/output connector DSP-4  2 channel digital signal processor with XLR input/output connectors, sma SC-28  2 x 8 processor for QSC loudspeakers  DIGITAL/NETWORK ACCESSORIES  WCP-1  Well Control Plate with Rotary Potentiometer	es, small form factor €390	€690
DSP-3  2 channel digital signal processor with euro style input/output connectors DSP-30  2 channel digital signal processor with Combo XLR input/output connector DSP-4  2 channel digital signal processor with XLR input/output connectors, sma SC-28  2 x 8 processor for QSC loudspeakers  DIGITAL/NETWORK ACCESSORIES  WCP-1  Well Control Plate with Rotary Potentiometer		
DSP-30  2 channel digital signal processor with Combo XLR input/output connector DSP-4  2 channel digital signal processor with XLR input/output connectors, sma SC-28  2 x 8 processor for QSC loudspeakers  DIGITAL/NETWORK ACCESSORIES  WCP-1  Well Control Plate with Rotary Potentiometer		C400
DSP-4 2 channel digital signal processor with XLR input/output connectors, sma SC-28 2 x 8 processor for QSC loudspeakers  DIGITAL/NETWORK ACCESSORIES  WCP-1 Well Control Plate with Rotary Potentiometer		
SC-28 2 x 8 processor for QSC loudspeakers  DIGITAL/NETWORK ACCESSORIES  WCP-1 Wall Control Plate with Rotary Potentiometer  Well Control Plate with Rotary PCD Switch	,	
Wall Control Plate with Rotary Potentiometer  Wall Control Plate with Rotary PCD Switch	€1,033	
Wall Control Plate with Peters PCD Switch		
Wall Control Plate with Rotary RCD Switch	€71	1 €85
WCP-2 Wall Control Flate with Rotary BCD Switch	€86	€103
DPC/foot Unterminated Custom DataPort Cable per foot	€5	
DPC-1 DataPort cable, HD15 connector, 1 ft. length	€6	
DPC-2 DataPort cable, HD15 connector, 2 ft. length DPC-3 DataPort cable, HD15 connector, 3 ft. length	€7	
DPC-3 DataPort cable, HD15 connector, 4 ft. length	€8	
DPC-5 DataPort cable, HD15 connector, 5 ft. length	€9	
DPC-6 DataPort cable, HD15 connector, 6 ft. length	€10	
DPC-10 DataPort cable, HD15 connector, 10 ft. length	€20	0 €24
DPC-20 DataPort cable, HD15 connector, 20 ft. length	€35	
DPC-50 DataPort cable, HD15 connector, 50 ft. length	€83	
DPC-75 DataPort cable, HD15 connector, 75 ft. length DPC-100 DataPort cable, HD15 connector, 100 ft. length	€124 €171	
DPX-1 External power supply	€49	
DPX-2 Custom DataPort cable passes audio and power between an amplifier at 3 or DSP-4 module		
DPX-3 Null modem cable programming a DSP-3 manufactured before July 1999	9 €8	8 €10
DPX-4  Accessory bracket kit mounting up to four DSP-3 or DSP-4 modules, shi mounting on rear racks		
DDI-8c 2 Channel input router module	€70	0 €84
DDI-3 Interface module	€76	
DDI-4 Dataport adapter	€8	
DDI-5 Dataport adapter	€8	8 €10
DDI-11 Customizable dataport interface	€12	
DDI-12 Input transformer module	€106	6 €127
Q-Sys products  64 network I/O channels, accomodates 8 I/O cards, dual Ethernet ports for	or network redundancy, and	+
two GPIO ports, 2RU	€2,718	8 €3,262
CORE 500i 128 network I/O channels, accomodates 8 I/O cards, dual Ethernet ports one auxillary Ethernet port, and two GPIO ports, 2RU	€4,705	5 €5,646
CORE 1000 64* inputs x 64* outputs, accommodates one slot card, dual Ethernet por and two GPIO ports, 3 RU	€9,795	5 €11,754
CORE 3000 128* inputs x 128* outputs, accommodates one slot card, dual Ethernet predundancy, and two GPIO ports, 3 RU	oorts for network €18,512	2 €22,214
CORE 4000 128 - 512* inputs x 128 - 512* outputs, accommodates one slot card, dua redundancy, and two GPIO ports, 3 RU	al Ethernet ports for network €32,649	9 €39,178
MTP-128 Multi-Track Playback Option - 128 Channels; must be ordered with a Cor	re €4,391	1 €5,269
MD-S Small Media Drive - Provides a minimum of 130 hours of audio storage. I and reproduce WAV and MP3 audio files.	The media drive can store €1,045	5 €1,255
Medium Media Drive - Provides a minimum of 260 hours of audio storage store and reproduce WAV and MP3 audio files.	e. The media drive can €2,091	1 €2,509
Large Media Drive - Provides a minimum of 1200 hours of audio storage.	. The media drive can store €4,182	2 €5,018
and reproduce WAV and MP3 audio files.  I/O FRAME  I/O FRAME  I/O FRAME	etwork redundancy, and one €1,610	0 €1,932
GPIO port  CIML4-HP  GPIO port  Four channels of microphone / line-level analog audio input with high per	,	<u> </u>
and 48V phantom power  CIML4 Four channels of microphone / line-level analog audio input with 48V pha		
COL4 Four channels of balanced, line-level analog output	€274	
CAES4 Four channels of AES-3 digital audio with channel pairs configurable as in	nput or output €383	3 €459
CODP4 Four channels (2 DataPorts) for connection to DataPort equipped QSC a		
CCN32 Q-Sys CobraNet Card	€1,509	
CB Blank Card for Core and I/O Frames PS-RHM Replacement Hand Held Microphone for Page Stations	€1 €187	
PERIPHERALS	(107	1 (224
I/O-22 Q-sys peripherial with PoE that provides 2 mic/lines, 2 line outputs, and c		8 €1,449
DAB-801 DataPort Amplifier Backup Panel, 8 Channels, Provides amplifier redundate DataPort I/0, 4 RU	ancy when used with Q-Sys €1,102	2 €1,323
IT-8400 Isolation Output Transformer Panel, 25/70/100 volt, 8 Channels, 400 w/ct		1 €794
PS-1600H Q-Sys 16-Button Wall Mounted Page Station; available with Hand Held (https://doi.org/10.1009/10.1009) PS-1600H Microphone	H) or Gooseneck (G) €1,509	9 €1,811
PS-1650H Q-Sys 16-Button Command Code (A-P) Wall Mounted Page Station; avail PS-1650G Gooseneck (G) Microphone	ilable with Hand Held (H) or €1,509	9 €1,811
PS-800H Q-Sys 8-Button Command Code (A-H) Wall Mounted Page Station; available	able with Hand Held (H) or €1,509	9 €1,811
PS-800G Gooseneck (G) Microphone PS-400H Q-Sys 4-Button Command Code (A-D) Wall Mounted Page Station; available.	· ·	-
PS-400G Gooseneck (G) Microphone	·	
PS-X Qsys Page Station Expander, handheld microphone.  PS-ACC Qsys Gooseneck Page Station Podium Mounting Flange Accessory.	€366 €63	
provide the properties of the		
TSC-3-BK TSC-3-WH  3" Touch Screen Controller for Q-Sys systems; available in black (BK) or		1

TSC-8-BX	Back Box for 8" Touch Screen Controller	€91	€110
* Input and output capacity			
may vary depending on sy	vstem		
DIGITAL / NETWORK AC			
WCP-1	Wall Control Plate with Rotary Potentiometer	€71	€85
WCP-2	Wall Control Plate with Rotary BCD Switch	€86	€103
DPC/foot	Unterminated Custom DataPort Cable per foot	€5	€6
DPC-1	DataPort cable, HD15 connector, 1 ft. length	€6	€7
DPC-2	DataPort cable, HD15 connector, 2 ft. length	€7	€8
DPC-3	DataPort cable, HD15 connector, 3 ft. length	€8	€9
DPC-4	DataPort cable, HD15 connector, 4 ft. length	€8	€10
DPC-5	DataPort cable, HD15 connector, 5 ft. length	€9	€11
DPC-6	DataPort cable, HD15 connector, 6 ft. length	€10	€13
DPC-10	DataPort cable, HD15 connector, 10 ft. length	€20	€24
DPC-20	DataPort cable, HD15 connector, 20 ft. length	€35	€42
DESIGN/TRAINING			
Q-SYS DESIGNER	Q-Sys Designer software		
CERTIFICATION	Q-Sys training class		
CX SERIES AMPLIFIERS			
CX302	2 channels, 200 watts/ch at $8\Omega$ , 325 watts/ch at $4\Omega$ , 600 watts/ch at $2\Omega$	€694	€832
CX502	2 channels, 300 watts/ch at 8 $\Omega$ , 500 watts/ch at 4 $\Omega$ , 800 watts/ch at 2 $\Omega$	€859	€1,031
CX702	2 channels, 425 watts/ch at 8 $\Omega$ , 700 watts/ch at 4 $\Omega$ , 1200 watts/ch at 2 $\Omega$	€1,065	€1,278
CX902	2 channels, 550 watts/ch at $8\Omega$ , 900 watts/ch at $4\Omega$ , 1500 watts/ch at $2\Omega$	€1,271	€1,525
CX1102	2 channels, 700 watts/ch at $8\Omega$ , 1100 watts/ch at $4\Omega$ , 1700 watts/ch at $2\Omega$	€1,409	€1,690
CX302V	2 channels, 250 watts/ch at 70V	€694	€832
CX602V	2 channels, 550 watts/ch at 8Ω, 440 watts/ch at 70V	€1,065	€1,278
CX1202V	2 channels, 700 watts/ch at 8Ω, 1100 watts/ch at 4Ω, 1000 watts/ch at 70V	€1,271	€1,525
CX254	4 channels, 170 watts/ch at 8 $\Omega$ , 250 watts/ch at 4 $\Omega$ , 450 watts/ch at 2 $\Omega$	€962	€1,155
CX404	4 channels, 250 watts/ch at $8\Omega$ , 400 watts/ch at $4\Omega$	€962	€1,155
CX204V	4 channels, 200 watts/ch at 70V	€962	€1,155
CX168	8 channels, 90 watts/ch at $8\Omega$ , 130 watts/ch at $4\Omega$	€1,271	€1,525
CX108V	8 channels, 100 watts/ch at 70V	€1,271	€1,525
POWERLIGHT™ 3 SERIE			
PL325	2 channels, 475 watts/ch at $8\Omega$ , 825 watts/ch at $4\Omega$ , 1250 watts/ch at $2\Omega$	€1,031	€1,237
PL340	2 channels, 800 watts/ch at $8\Omega$ , 1200 watts/ch at $4\Omega$ , 2000 watts/ch at $2\Omega$	€1,356	€1,627
PL380	2 channels, 1500 watts/ch at 8 $\Omega$ , 2600 watts/ch at 4 $\Omega$ , 4000 watts/ch at 2 $\Omega$	€2,145	€2,573